

LIVE AUCTION CATALOG

CONTRACTORS EQUIPMENT & VEHICLE AUCTION

9 am – Saturday – February 8, 2020

Preview: Friday 8 am to 5 pm

18226 68th Avenue NE • Kenmore, WA 98028

Site Phone: (425) 486-1246

TERMS AND CONDITIONS

NO BUYERS PREMIUM ON IN-PERSON BIDS

5% BUYERS PREMIUM ON ALL ONLINE BIDS

Due to safety issues: no children under 12, and no pets allowed (except service dogs as defined by the ADA)

ALL SALES ARE FINAL upon award of bid by auctioneer.

TITLED VEHICLES: Washington State residents, who are not motor vehicle dealers, must pay Washington State sales tax plus any applicable title or license fees on the purchase of titled vehicles. Out of state residents must meet all requirements to be exempt from sales tax. (General sales tax is 10%, Sales tax on motor vehicles is 10.3%) *MILEAGE STATED IN CATALOG IS THE ODOMETER READING, THAT MILEAGE MAY NOT BE THE ACTUAL MILEAGE OF THE VEHICLE.

DOC FEE ON TITLED VEHICLES: A \$100.00 documentary service fee will be charged on each vehicle purchased. (Trucks, cars, vans, buses, motorcycles, boats & trailers). *The maximum charge allowed for documentary service fee is \$150, because the selling price is determined by competitive bidding, a \$100 documentary service fee is deemed negotiated at time of bidding.*

A \$300 CASH DEPOSIT IS REQUIRED UPON AWARD OF BID ON ALL CARS, PICKUPS & VANS.

OUT OF STATE BUYERS: YOUR DRIVER'S LICENSE WILL NO LONGER EXEMPT YOU FROM TAX.

PAYMENT: A 25% deposit is required on date of sale. Full payment must be made no later than 5 pm, Tuesday following the auction. Payments may be made auction day or between 8 am and 5 pm, Monday or Tuesday. Payment must be made by cash, cashier's check, MasterCard or Visa. Personal or Company Checks accepted **ONLY** with letter of guarantee from the bank. *Failure to pay for ALL items purchased may result in legal action and will result in forfeiture of ALL deposits.*

REMOVAL: There will be no removal during the auction unless otherwise announced by the auctioneer. *No purchases may be removed until ALL purchases are paid for.* All items (except as noted) must be removed no later than 5:00p.m., Thursday, February 13th. Yard hours: 8:00 am to 5:00 pm, Monday through Friday. James G Murphy Co. will, **at the sole risk of the buyer**, assist in loading out non-rolling stock. **ITEMS NOT REMOVED BY DEADLINE MAY BE SUBJECT TO STORAGE CHARGES.**

WARRANTY DISCLAIMER: ALL SALES ARE FINAL. All items are being sold "As Is, Where Is", with all faults and without any warranties as to merchantability of fitness for a particular purpose. The principal, the auctioneer, the advertising coordinator, and any of their agents make no express or implied warranties of any type.

Complete terms and conditions of sale will be available at the time of sale. All information was obtained from sources deemed reliable. Although every precaution has been taken to ensure accuracy, the principal, the James G. Murphy Co., the advertising coordinator and all their agents shall not be responsible for any errors or omissions therein. It is for this reason that we recommend that all items be thoroughly inspected prior to the point of sale. Announcements made by the auctioneer at the time of sale take precedence over printed matter. Auctioneer reserves the right to sell accessories, parts or attachments on a separate and/or aggregate basis.

ABSENTEE BIDS IN-PERSON: Absentee bids will be accepted with 25% deposit. Bids under \$100.00 are not accepted. For complete rules regarding absentee bids contact the auction office.

ONLINE BIDS: Failure to award bid: Online bidders will not have any claim against the James G. Murphy Co. for failure to submit bids to the auctioneer or any error on the bidding platform. In some instances, the bidding platform may show an item awarded to an online customer; however, we reserve the right to withdraw a bid awarded in error.

James G. Murphy Co.

P.O. Box 82160, Kenmore, Washington 98028

(425) 486-1246 or 1-800-426-3008, Fax: (425) 483-8247

www.murphyauction.com

Washington Auctioneer's License #1960

AUCTION SCHEDULE

FEBRUARY 8, 2020

LOT#	START TIME	AUCTION ITEMS
RING 1 STARTS WITH EQUIPMENT DRIVE-THRU AT 9AM:		
1 - 188	RING 1 9:00	HEAVY EQUIPMENT, TRUCKS & BUSES
RING 2 STARTS AT AUCTION TRUCK (AFTER LOT 188):		
201 – 306	RING 2 12:30*	LIFTS, ARROW BOARDS, COMPRESSORS, GENERATORS, TRUCK CRANE, EQUIPMENT TRAILERS, DUMP TRAILERS, VAN TRAILERS, REFER TRAILERS, PAVER, GOLF CART, FORKLIFTS, VEHICLES/EQUIPMENT SOLD IN PLACE & BUSES
RING 1 CONTINUES INSIDE WAREHOUSE:		
401 - 531	RING 1 12:30*	MOTORCYCLES, PASSENGER VEHICLES, SUVS, PICKUP TRUCKS & VANS
ONLINE:		
601 – END	BID ONLINE	TOOLS & CONTRACTORS SUPPLIES (ONLINE ITEMS IN SEPARATE CATALOG) ONLINE ONLY AUCTION ENDS TUESDAY, FEB. 11TH

***Approximate Times**

- | | | | | | |
|----|---|----|---|----|--|
| 1 | <p>1 each -
2008 CUB CADET ENFORCER
ZERO TURN 48" ROTARY MOWER,
KOHLER 2 CYL, HYDROSTATIC
HOUR METER READS: 215
s/n: 3K1082Z00008</p> <hr/> | 11 | <p>1 each -
2004 CAT 287
TRACKED SKIDSTEER LOADER,
80 HP 4 CYL DIESEL, AUX HYD,
QC BUCKET, CANOPY
HOUR METER READS: 3,557
s/n: CAT00287CCNY00832</p> <hr/> | 19 | <p>1 each -
1988 JOHN DEERE 544E
WHEEL LOADER, 118 HP 6059T,
4F/3R POWERSHIFT, 98" BUCKET,
CAB, 17.5X25
HOUR METER READS: 14,756
s/n: DW544EB18704</p> <hr/> |
| 2 | <p>1 each -
TORO 328D
72" ROTARY FRONT MOWER,
KUBOTA D1105, CAB
HOUR METER READS: 1,449
s/n: 30626250000388</p> <hr/> | 12 | <p>1 each -
2010 BOBCAT S175
SKID STEER 48.9 HP V2043-M-DI
QC BUCKET, AUX HYD, CANOPY
HOUR METER READS: 2,134
s/n: A3L535904</p> <hr/> | 20 | <p>1 each -
1986 TROJAN 1500Z
WHEEL LOADER, DEUTZ 5 CYL
DIESEL, 3F/3R, 90" GP BUCKET,
CAB, 17.5R25
HOUR METER READS: 18,517
s/n: 3124410</p> <hr/> |
| 3 | <p>1 each -
DITCH WITCH 3500 DD
4X4 VIBRATORY PLOW, DEUTZ
F3L1011, 4-WAY BLADE, H331
HOUR METER READS: 28
s/n: 3K0667</p> <hr/> | 13 | <p>1 each -
2008 NEW HOLLAND L175
SKID STEER, 60.4 HP N844LT,
QC BUCKET, AUX HYD, CANOPY,
HRT
HOUR METER READS: 7,198
s/n: N8M498191</p> <hr/> | 23 | <p>1 each -
2014 KUBOTA B26
MFWD TRACTOR LOADER BACKHOE,
D1105D, 3 RANGE HYDROSTATIC,
PTO, CANOPY
HOUR METER READS: 1,229
s/n: 54115</p> <hr/> |
| 6 | <p>1 each -
2007 HYSTER S50FT
5,000 LB HRT FORKLIFT, 171"
FORK HEIGHT, 3-STAGE MAST,
SIDE SHIFT, 4 CYL PROPANE
HOUR METER READS: 08563
s/n: F187V10902E</p> <hr/> | 14 | <p>1 each -
2007 CAT 950H
WHEEL LOADER, 217 HP C7 ACERT,
4F/4R POWERSHIFT, QC 114"
BUCKET, AUX HYD, A/C CAB
23.5R25
HOUR METER READS: 23,895
s/n: CAT0950HHK5K01064</p> <hr/> | 24 | <p>1 each -
2006 JOHN DEERE 310SG
4X4 BACKHOE, 91 HP 4045T,
4F/4R, EXTENDAHOE, AUX HYD,
QC BUCKET, CANOPY
HOUR METER READS: 3,048
s/n: T0310SG959519</p> <hr/> |
| 7 | <p>1 each -
2004 GEHL DL10H
4X4X4 10,000 LB TELESCOPIC
FORKLIFT, 44' 3-SECTION BOOM,
JOHN DEERE 4.5L, 14.00-24TG
HOUR METER READS: 5,774
s/n: 10H44JV1140555</p> <hr/> | 15 | <p>1 each -
2006 CAT 950G II
WHEEL LOADER, 196 HP 3126
DITA, 4F/4R, QC 114" GP
BUCKET, RIDE CONTROL, A/C
CAB, 23.5-25
HOUR METER READS: 9,778
s/n: CAT0950GVBA01086</p> <hr/> | 25 | <p>1 each -
2004 CASE 580M SERIES II
4X4 BACKHOE, 76 HP 445/M2,
4F/4R SYNCHROMESH, 4 IN 1
LOADER BUCKET, EXTENDAHOE,
CANOPY
HOUR METER READS: 3,566
s/n: N4C382021</p> <hr/> |
| 8 | <p>1 each -
1997 GEHL 883
8,000 LB 4X4X4 TELESCOPIC
FORKLIFT, 34' 3-SECTION BOOM,
JOHN DEERE 4039 TF001
DIESEL, 18.00X24
HOUR METER READS: 0729
s/n: JL127769</p> <hr/> | 16 | <p>1 each -
2011 JOHN DEERE 624K
WHEEL LOADER, 173 HP
6068HDW79, 4F/3R POWERSHIFT,
QC 105" GP BUCKET, A/C CAB,
20.5R25
HOUR METER READS: 14,905
s/n: 1DW324KZEBD639273</p> <hr/> | 26 | <p>1 each -
2001 CAT 420D IT
4X4 BACKHOE, 88 HP 3054T,
4F/4R, 4-IN-1 LOADER BUCKET,
EXTENDAHOE, QUICK COUPLER,
AUX HYD, CANOPY
HOUR METER READS: 9,995
s/n: CAT0420DLBLN02129</p> <hr/> |
| 9 | <p>1 each -
1998 GRADALL 534D-9
4X4 9,000 LB TELESCOPIC
FORKLIFT, 36' 3-SECTION BOOM,
4 CYL DIESEL, 75" BUCKET, 134"
TRUSS BOOM ATTACHMENTS, TIRE
SIZE 13:00-24
HOUR METER READS: 5,900
s/n: 0444045</p> <hr/> | 17 | <p>1 each -
2000 CAT IT28G
INTEGRATED WHEEL LOADER,
156 HP 3116T, 4F/3R, AUX HYD,
AUX AIR, QC 100" GP BUCKET,
CAB, 20.5R25
HOUR METER READS: 13,893
s/n: 8CR02376</p> <hr/> | 27 | <p>1 each -
2000 CASE 580L
4X4 BACKHOE, 75 HP 4-390,
4F/4R EXTENDAHOE, AUX HYD,
CANOPY (NO DIGGING BUCKET)
HOUR METER READS: 4,863
s/n: JJG0304257</p> <hr/> |
| 10 | <p>1 each -
KUBOTA L2650D
MFWD TRACTOR, 23.5 PTO HP,
D1402-DI-AE, 8F/8R MECHANICAL
SHUTTLE, L485 LOADER BUCKET,
PTO 3 POINT
HOUR METER READS: 1,091
s/n: 61919</p> <hr/> | 18 | <p>1 each -
1991 JOHN DEERE 624E
WHEEL LOADER, 141 HP 6068T,
4F/3 POWER SHIFT, QC 100" GP
BUCKET, AUX HYD, CAB, 20.5R25
HOUR METER READS: 12,508
s/n: DW624EB531415</p> <hr/> | 28 | <p>1 each -
1993 CAT 426B
4X4 BACKHOE, 58.9 HP 3054,
4F/4R, EXTENDAHOE, AUX HYD
CAB
HOUR METER READS: 04845
s/n: 5YJ00709</p> <hr/> |

29	1 each - 1992 CASE 580 SUPER K BACKHOE, 75.1 HP 4-390, 4F/4R EXTENDAHOE, HYD THUMB, QC DIGGING BUCKET, CAB HOUR METER READS: 5,581 s/n: JJG0167289	41	1 each - 2006 VOLVO EC210BLC HYDRAULIC EXCAVATOR, 159 HP, D6D EFE2, 9.5" STICK, HYD THUMB, 60" BUCKET, A/C CAB HOUR METER READS: 10,071 s/n: EC210V16747	49	1 each - KOMATSU PC45MR-1 MINI EXCAVATOR, 4D84E-3EB, SWING BOOM, HYD THUMB, PIN GRABBER, 36" BUCKET, BLADE, RUBBER TRACK INSERTS, CANOPY HOUR METER READS: 9,000 s/n: 1328
32	1 each - 2008 NEW HOLLAND T6030 2WD TRACTOR, 115 HP 667TA/MEA, 13F/13R, (2) REMOTES, PTO, US MOWER 6030MM23 SIDE MOUNT 50" ROTARY BOOM MOWER, A/C CAB HOUR METER READS: 8,946 s/n: Z7BD01917	42	1 each - KOMATSU PC200 HYDRAULIC EXCAVATOR, S4D102-1, 9'6" STICK, HYD THUMB, 36" BUCKET, CAB HOUR METER READS: 2,372 s/n: A82032	50	1 each - 2015 TAKEUCHI TB240 MINI EXCAVATOR, 34.3 HP YANMAR 4TNV88C, SWING BOOM, AUX HYD, QC 42" BUCKET, BLADE, RUBBER TRACKS, CANOPY HOUR METER READS: 4,760 s/n: 124000797
33	1 each - 2005 JOHN DEERE 6320 2WD TRACTOR, 99 HP 4045, 16F/16R, DIAMOND 60" ROTARY SIDE DECK MOWER, MB 90" BROOM, (2) REMOTES, PTO, 3 POINT HITCH, A/C CAB HOUR METER READS: 8,138 s/n: L06320H454728	44	1 each - 2013 KOMATSU PC138USLC8 HYDRAULIC EXCAVATOR, 97 HP SAA4D95LE-5, 8'3" STICK, HYD THUMB, QC 36" BUCKET, A/C CAB HOUR METER READS: 5,575 s/n: 27319	51	1 each - 2012 KUBOTA U25 MINI EXCAVATOR, D1105, SWING BOOM, HYD THUMB, QC 16" BUCKET, BLADE, RUBBER TRACKS, CANOPY (DIGITAL NO READOUT) s/n: JKUU0253C01H31408
34	1 each - 1996 FORD 4630 MFWD TRACTOR, 60 HP 3.3L DIESEL, 8F/8R, PTO, 3 POINT HITCH, ALAMO 84" 3 POINT FLAIL MOWER, CANOPY *CITY DISCLOSURE (HOUR METER REPLACED AT 2,432) HOUR METER READS: 77 s/n: 036285B	45	1 each - 2013 JOHN DEERE 85D HYDRAULIC EXCAVATOR, 54.1 HP ISUZU 4LE2, SWING BOOM, 7' STICK, HYD THUMB, AUX HYD, PIN GRABBER, 24" BUCKET, BLADE, RUBBER TRACK INSERTS, A/C CAB HOUR METER READS: 5,095 s/n: 1FF085DXECG017140	54	1 each - 1998 CAT D6M XL CRAWLER DOZER, 153 HP 3116T, 3F/3R POWERSHIFT, FTC, 6-WAY BLADE, DRAW BAR, CANOPY W/SWEEPS HOUR METER READS: 7,864 s/n: 3WN01642
37	1 each - 2004 KOBELCO SK480LC HYDRAULIC EXCAVATOR, 315 HP 6D24-TLU2C, 13'3" STICK, PIN GRABBER, 72" BUCKET, CAB *HOUR METER IN-OP* s/n: YS06U0298	46	1 each - 2013 JOHN DEERE 75D HYDRAULIC EXCAVATOR, 54 HP ISUZU 4LE2-XCUA, 7' STICK, TAG HYD THUMB, AUX HYD, 23" BUCKET, BLADE, RUBBER TRACK INSERTS, A/C CAB HOUR METER READS: 3,281 s/n: 1FF075DXTCG014728	55	1 each - 1993 CAT D5H SERIES II LGP CRAWLER DOZER, 125 HP 3304 3F/3R POWERSHIFT, 6-WAY 152" BLADE, DRAW BAR, CANOPY HOUR METER READS: 18,580 s/n: 1DD05648
38	1 each - 2007 KOMATSU PC228USLC-3EO HYDRAULIC EXCAVATOR, 155 HP SAA6D107E-1, 9'6" STICK, AUX HYD, PIN GRABBER, 72" BUCKET, A/C CAB HOUR METER READS: 9,868 s/n: 40429	47	1 each - 2017 JOHN DEERE 50G MINI EXCAVATOR, 35.9 HP YANMAR 4TNV88C-PHB, SWING BOOM, HYD THUMB, QC 48" CLEAN OUT BUCKET, BLADE, RUBBER TRACKS, CANOPY HOUR METER READS: 1,355 s/n: 1FF050GXPHH285666	56	1 each - 1980 KOMATSU D45A-1 CRAWLER DOZER, 90 HP S4D105-1, 3F/3R, 6-WAY BLADE, CANOPY W/SWEEPS, HYSTER W5A WINCH HOUR METER READS: 2,967 s/n: D452-2733
39	1 each - 2005 KOMATSU PCC228USLC-3EO HYDRAULIC EXCAVATOR, 155 HP SAA6D107E-1, 9'6" STICK, 66" BUCKET, A/C CAB HOUR METER READS: 12,073 s/n: 31774	48A	1 each - 2011 HITACHI ZAXIS ZX50U-3 MINI EXCAVATOR, 38.1 HP 4TNV88, SWING BOOM, HYD THUMB, QC 24.5" BUCKET, BLADE, RUBBER TRACKS, CANOPY HOUR METER READS: 4,902 s/n: HCM1YB00K00275669	59	1 each - 2008 VERMEER NAVIGATOR D24X40 SERIES II HORIZONTAL DIRECTIONAL DRILL, JOHN DEERE 4.5L, 10' X 2.5" DIA DRILL STEM, 51 CARTRIDGES, ROD CHANGER, AUTO LUBE, TWIN HEAD, DIGI TRAK MFD HOUR METER READS: 4,308 s/n: 1VRZ190318000629
40	1 each - 2012 KOMATSU PC200LC-8 HYDRAULIC EXCAVATOR, 155 HP SAA6D107E-1, 9'7" STICK, HYD THUMB, AUX HYD, PIN GRABBER, 36" BUCKET, REAR CAMERA, A/C CAB HOUR METER READS: 3,531 s/n: A90857	48B	1 each - 2007 CASE CX36B MINI EXCAVATOR, 28.4 HP YANMAR 3TNV88-BPYB, SWING BOOM, HYD THUMB, QC 24" BUCKET, BLADE, RUBBER TRACKS, A/C CAB HOUR METER READS: 3,518 s/n: NETN64422	60	1 each - 2006 VERMEER NAVIGATOR D24X40 SERIES II HORIZONTAL DIRECTIONAL DRILL, JOHN DEERE 4.5L, 10' X 2.5" DIA DRILL STEM, 33 CARTRIDGES, ROD CHANGER, TWIN HEAD HOUR METER READS: 4,846 s/n: 1VRZ1903461000296

61	<p>1 each - 2001 DITCH WITCH JT27M1 HORIZONTAL DIRECTIONAL DRILL, JOHN DEERE T04045, 10' X 2.5" DIA DRILL STEM, 55 CARTRIDGES, ROD CHANGER, TWIN HEAD HOUR METER READS: 3,753 s/n: 2V2024</p>	74	<p>1 each - 2004 FREIGHTLINER FLD112SD T/A HYDRO/VAC TRUCK, VACTOR 2110-824-18 COMBO HYDRO EXCAVATION, 355 HP, CAT C-12, AUTO s/n: 1FVHAEAS14DM95776 ODOMETER READS: 513,242</p>	84	<p>1 each - 1998 PETERBILT 385 TRI/A DUMP TRUCK, 16'6" STEEL BOX, TARP SYSTEM, 306 HP CAT C-12, 8LL SPD, CHALMERS SUSPENSION, 194" W/B, DROP AXLE, PLUMBED FOR PUP s/n: 1NPGLU9X2WD463409 ODOMETER READS: 495,740</p>
62	<p>1 each - 1999 DYNAPAC CA252D VIBRATORY SMOOTH DRUM ROLLER, 84" SMOOTH DRUM, DRUM DRIVE, CUMMINS 3.9L, CANOPY, 23.1X26R3 HOUR METER READS: 3,077 s/n: 66220726</p>	75	<p>1 each - 2001 PETERBILT 320 T/A CABOVER, HYDRO/VAC TRUCK, VACTOR 2110-6F COMBO HYDRO EXCAVATION, CAT C-10, AUTO, AUX 6 CYL DIESEL s/n: 1NPZLT0X01D713030 ODOMETER READS: 101,568</p>	85	<p>1 each - 1996 KENWORTH T800B TRI/A, DUMP TRUCK, 15'6" STEEL BOX, 425 HP, CAT 3406, 13 SPD, CHALMERS SUSPENSION, 208" W/B, 4.11 RATIO, PLUMBED FOR PUP s/n: 1NKDLB9XXTS731384 ODOMETER READS: 107,370</p>
63	<p>1 each - RAYGO RUSTLER VIBRATORY SMOOTH DRUM ROLLER, 66" DRUM, DRUM DRIVE, JOHN DEERE 4239D, CANOPY, 16.9X24 HOUR METER READS: 2,199 s/n: 35B316JS</p>	76	<p>1 each - 1997 VOLVO WG64F T/A VAC TRUCK, VAC-CON V311THL, VED7-260, AUTO s/n: 4V5JCBFD2VR854492 ODOMETER READS: 367,287</p>	86	<p>1 each - 1984 FREIGHTLINER FLC064T TRI/A DUMP TRUCK, 15'6" STEEL BOX, CAT 3406, 13 SPD, AIR SUSPENSION, DROP AXLE s/n: 1FUPY6YB1EP246112 ODOMETER READS: 501,255</p>
64	<p>1 each - 1987 BOMAG BW142D VIBRATORY SMOOTH DRUM ROLLER, 56" DRUM, DRUM DRIVE, DEUTZ 3 CYL, CANOPY, 12.4X24 HOUR METER READS: 73 s/n: 510122793</p>	77	<p>1 each - 1994 FORD L8000 RODDER TRUCK, BOSS 8075-UHBI, CUMMINS 8.3, 9 SPD s/n: 1FDXR82E2RVA42788 ODOMETER READS: 120,527</p>	87	<p>1 each - 2005 FREIGHTLINER M2 DUMP TRUCK, 12' STEEL BOX, TARP SYSTEM, 300 HP, CAT C-7, AUTO, DROP AXLE s/n: 1FVACYDC85HV02783 ODOMETER READS: 107,395</p>
67	<p>1 each - 1994 BROCE RC300 MOBILE BROOM, CUMMINS 3.9L, 7' ANGLE BROOM, WATER SYSTEM HOUR METER READS: 2,400 s/n: 87509</p>	78	<p>1 each - 1993 INT'L 4700 SWEEPER, TYMCO 600 AIR SWEEPER, DUAL GUTTER BROOM, AUX 4 CYL DIESE, 6 CYL DIESEL, AUTO s/n: 1HTSCPJN2PH484559 ODOMETER READS: 156,897</p>	88A	<p>1 each - 2007 INT'L 4200 DUMP TRUCK, 10' STEEL BOX, TARP SYSTEM, VT365, 7 SPD s/n: 1HTMPAFM77H540991 ODOMETER READS: 62,694</p>
68	<p>1 each - 1994 ROSCO RB38 MOBILE BROOM, 8' ANGLE BROOM, WATER SYSTEM, CUMMINS 3.9, A/C CAB HOUR METER READS: 2,416 s/n: 32977</p>	81	<p>1 each - 2003 MACK CL700 QUAD/A DUMP TRUCK, 18'5" STEEL BOX, 350 HP MACK E7-350, 8LL SPD, CAMELBACK SUSPENSION, 236" W/B, 20,000 LB FRONT, 44,000 REARS, 2 DROP AXLE s/n: 1M2AD09C83M012413 ODOMETER READS: 317,067</p>	88B	<p>1 each - 2005 FORD F650 DUMP TRUCK, 10' STEEL BOX, CAT C7, 6 SPD s/n: 3FRNF65915V101838 ODOMETER READS: 61,051</p>
69	<p>1 each - 1996 LAY-MOR 8B MOBILE BROOM, 8' ANGLE BROOM, WATER SYSTEM, KUBOTA 3 CYL DIESEL HOUR METER READS: 1,701 s/n: 8B2202982441</p>	82	<p>1 each - 2005 PETERBILT 378 TRI/A DUMP TRUCK, 16'6" STEEL BOX, 475 HP, CAT C-15, 18 SPD, CHALMERS SUSPENSION, 229" W/B, 46,000 LB REARS, DROP AXLE, PLUMBED FOR PUP, TACH REPLACED AT APPROX 578,000 MILES s/n: 1NPFLBEX65D874879 ODOMETER READS: 9,512</p>	89	<p>1 each - 1996 INT'L 4700 CREW CAB DUMP TRUCK, 10' STEEL BOX, DT466, AUTO s/n: 1HTSCAAN4TH276089 ODOMETER READS: 110,514</p>
73	<p>1 each - 2007 INT'L 7400 HYDRO/VAC TRUCK, VACTOR 2105- 824RCS16, COMBO HYDRO EXCAVATION, DT570, AUTO s/n: 1HTWCAZR97J525087 ODOMETER READS: 119,906</p>	83	<p>1 each - 2002 FREIGHTLINER FLD112SD TRI/A DUMP TRUCK, 17' STEEL BOX, TARP SYSTEM, 410 HP CAT C12, 18 SPD, TUF TRAC, 20,000 LB FRONT, 46,000 LB REARS, DROP AXLE, PLUMBED FOR PUP s/n: 1FVMAEASX2PK09787 ODOMETER READS: 9,183</p>	90	<p>1 each - 1997 GMC C6500 DUMP TRUCK, 10' STEEL BOX, CAT 3116, 6 SPD s/n: 1GDJ7H1JXVJ509709 ODOMETER READS: 64,636</p>
				91	<p>1 each - 2011 FORD F350 DUMP TRUCK, 9' STEEL BOX, TARP SYSTEM, V8, AUTO, LIFTGATE s/n: 1FDRF3G62BEA47792 ODOMETER READS: 103,364</p>

- 94 1 each -
1994 KENWORTH T800B
TRI/A, ROLL OFF TRUCK, CASCO 055G240, 460 HP, CUMMINS, N14-460E, 8 BAG SUSPENSION, DROP AXLE
s/n: 1XKDP60X1RS618026
ODOMETER READS: 963,617
- 95 1 each -
1992 INT'L
TRI/A CABOVER, ROLL OFF TRUCK, ROLL OFF R24389521, CUMMINS, 9 SPD, AIR SUSPENSION, DROP AXLE
s/n: 1HSRDGMR1NH389521
ODOMETER READS: 889,436
- 97 1 each -
2000 KENWORTH W900B
TRI/A LOG TRUCK, 500 HP CAT C-15, 18 SPD, CHALMERS SUSPENSION, 256" W/B, 46,000 LB REARS, 4.11 RATIO, DROP AXLE, 1989 PEERLESS T/A LOG TRAILER, 8'6" BUNKS, SI TECHNOLOGIES, LODEC SI9100GW SCALES S/N: 1PLA02402KTA94090
s/n: 1NKWXBEX4YR862764
ODOMETER READS: 100,517
- 98 1 each -
1977 PETERBILT 359A
T/A LOG TRUCK, 400 HP, CUMMINS NTC400, 13 SPD, BLOCK BEAM SUSPENSION, 1984 PEERLESS T/A LOG TRAILER, 8' BUNKS, WILLIAMS CONTROLS AIR SCALES *TITLE BRANDED RECONSTRUCTED*
S/N: 644363
s/n: 90664KP
ODOMETER READS: 267,437
- 100 1 each -
2004 FREIGHTLINER CL120
T/A DAY CAB, TRACTOR, DETROIT SERIES 60, 10 SPD, AIR SUSPENSION, 173" W/B, WET KIT, SLIDER
s/n: 1FUJA6CK34LM50000
ODOMETER READS: 86,942
- 101 1 each -
1978 MACK RL700L
T/A TRACTOR, 350 HP, CUMMINS NTC350, 13 SPD, SPRING BEAM SUSPENSION, 216" W/B, WET KIT, SLIDER
s/n: RL797LST35889
ODOMETER READS: 478,626
- 102 1 each -
1991 PETERBILT 377
T/A SLEEPER, TRACTOR, CAT 3406, 13 SPD, AIR SUSPENSION, 238" W/B, WET KIT, SLIDER
s/n: 1XPCDB9X1MD306120
ODOMETER READS: 1,080,537
- 103 1 each -
1985 INT'L S2300
T/A DAY CAB, TRACTOR, CUMMINS 9 SPD, 150" W/B, SLIDER
s/n: 1HSZEHUR3FHA18755
ODOMETER READS: 159,415
- 104 1 each -
2008 FREIGHTLINER FL106
DAY CAB, TRACTOR, 380 HP CAT C-13, SMART SHIFT MBT 6 SPD AUTOMATED TRANSMISSION, AIR SUSPENSION, 200" W/B, 12,000 LB FRONT, 22,700 REAR, SLIDER
s/n: 1FUBC5DEX8HZ94858
ODOMETER READS: 280,247
- 105 1 each -
2005 INT'L 8600
DAY CAB, TRACTOR, CUMMINS, 10 SPD, 152" W/B, SLIDER
s/n: 1HSHWAHNX5J053353
ODOMETER READS: 339,367
- 106 1 each -
1998 FREIGHTLINER FL106
DAY CAB, TRACTOR, 315 HP DETROIT SERIES 50, 10 SPD, AIR SUSPENSION, 187" W/B, 12,000 LB FRONT, 20,000 REARS
s/n: 1FUW8HCAXWH820529
ODOMETER READS: 220,412
- 107 1 each -
1998 FREIGHTLINER FL106
DAY CAB, TRACTOR, 315 HP DETROIT SERIES 50, 10 SPD, AIR SUSPENSION, 187" W/B, 12,000 LB FRONT, 20,000 LB REARS
s/n: 1FUW8HCA6WH820530
ODOMETER READS: 13,413
- 108 1 each -
1997 FREIGHTLINER FL106
DAY CAB, TRACTOR, 315 DETROIT SERIES 50, 10 SPD, AIR SUSPENSION, 187" W/B, 12,000 LB FRONT, 20,000 REARS (DAMAGED STARTER SOLENOID)
s/n: 1FUW8HCA9VH711848
ODOMETER READS: 67,221
- 109 1 each -
1995 INT'L 4900
TRACTOR, (2) FIFTH WHEEL PLATES, PINTLE/AIR TO REAR, DT466, AUTO
s/n: 1HTSDAANXSH598523
ODOMETER READS: 300,474
- 110 1 each -
1995 INT'L 4900
TRACTOR, (2) FIFTH WHEEL PLATES, PINTLE/AIR TO REAR, DT466, AUTO
s/n: 1HTSDAANXSH598523
ODOMETER READS: 300,474
- 111 1 each -
1995 INT'L 4900
TRACTOR, (2) FIFTH WHEEL PLATES, PINTLE/AIR TO REAR, DT466, AUTO
s/n: 1HTSDAANXSH598523
ODOMETER READS: 300,474
- 112 1 each -
1995 FREIGHTLINER FL70
SERVICE TRUCK, CUMMINS B5.9-190, 6 SPD, VENTUR 2,200 LB/6'-14" CRANE, MILLER BOBCAT 225G WELDER GEN, AIR COMPRESSOR, GOODALL 718 START ALL, A/B
s/n: 1FV6GFACXSL652602
ODOMETER READS: 3,430
- 113 1 each -
1996 INT'L 4900
FUEL LUBE TRUCK, DT466, 6 SPD, (8) 75-GAL PRODUCT TANKS, (2) 150-GAL PRODUCT TANKS, (2) PRODUCT BBL, HYD AIR COMP, HOSE REELS, DISPENSERS
s/n: 1HTSDAAL4TH279733
ODOMETER READS: 324,488
- 114 1 each -
1990 GMC TOPKICK
FUEL LUBE TRUCK, V8, AUTO, 650 GALLON FUEL TANK, OIL RECOVERY SYSTEM, LUBE REELS, DISPENSERS, INGERSOLL RAND AIR COMPRESSOR
s/n: 1GDJ7H1P1LJ604435
ODOMETER READS: 107,419
- 115 1 each -
1994 FORD CF8000
CABOVER, FUEL TRUCK, 2,800 GAL, METER HOSE REEL, CUMMINS 8.3, 6 SPD
s/n: 1FDXH81E3RVA04541
ODOMETER READS: 155,614
- 117 1 each -
2005 INT'L 4300
BUCKET TRUCK, TEREX HIGH RANGER, 40' 350 LB, DT466, AUTO
s/n: 1HTMMAAN95H117139
ODOMETER READS: 269,899
- 118 1 each -
2004 CHEV C7500
BUCKET TRUCK, POSI-PLUS 800-40-015, 40', 350 LB, REEL LIFT, CAT, AUTO
s/n: 1GBK7C1C44F503116
ODOMETER READS: 143,537
- 119 1 each -
2009 STERLING BULLET
BUCKET TRUCK, VERSALIFT SST37EIH-01, 37', 350 LB, CUMMINS, AUTO, 4WD, WINCH
s/n: 3F6WK76L29G514553
ODOMETER READS: 160,090
- 120 1 each -
2009 FORD F550
EXT CAB BUCKET TRUCK, ALTEC AT37G, 37' 350 LB POWER STROKE, AUTO, 4WD
s/n: 1FDAX57R29EA90989
ODOMETER READS: 143,847
- 121 1 each -
1992 FORD F450
BUCKET TRUCK, TELSTA A28D, 28', 350 LB, V8, AUTO
s/n: 2FDLDF47G0NCA93152
ODOMETER READS: 199,220

124	1 each - 2011 FORD F250 CREW CAB, SERVICE BODY, POWER STROKE, AUTO, 4WD s/n: 1FD7W2BT7BEA27116 ODOMETER READS: 128,639	137	1 each - 2015 RAM 5500 HD TWIN LINE WRECKER, CHEVRON 408V/408T BOOM, WARN WINCHES, UNDER LIFT, FRAME FORKS, STRAPS, SPEED DOLLIES, CUMMINS, AUTO s/n: 3C7WRMBL3FG544935 ODOMETER READS: 62,570	144	1 each - 1951 FORD WRECKER TWIN BOOM DUAL LINE WRECKER, HOLMES 460 BOOM, FLATHEAD V8, 4 SPD (CRANKS, WILL NOT START) s/n: F4R1RH25039 ODOMETER READS: 61,328
125	1 each - 2007 DODGE 3500 SERVICE BODY, V8, AUTO s/n: 3D6WG46D87G803002 ODOMETER READS: 119,122	138	1 each - 2015 RAM 5500 HD TWIN LINE WRECKER, CHEVRON 408V/408T BOOM, WARN WINCHES, UNDER LIFT, FRAME FORKS, STRAPS, SPEED DOLLIES, CUMMINS, AUTO s/n: 3C7WRMAL0FG712869 ODOMETER READS: 106,575	145	1 each - 2005 FORD F750 T/A ROLLBACK TRUCK, JERR DAN 24' STEEL BED, WINCH, UNDER LIFT, FRAME FORKS, STRAPS, DROP AXLE, 300 HP CAT C-7, AUTO s/n: 3FRXF75X15V209955 ODOMETER READS: 321,896
126	1 each - 2006 FORD F550 ENCLOSED SERVICE TRUCK, LUBE TANK, VMAC AIR COMPRESSOR, (2) HOSE REELS, POWER STROKE, AUTO, (CHECK ENGINE LIGHT ON) s/n: 1FDAF56P46EB00260 ODOMETER READS: 80,725	139	1 each - 2006 FORD F450 XLT EXT CAB, TWIN LINE WRECKER, MILLER 412 BOOM, RAMSEY WINCH, MILLER FORMULA 1 UNDER LIFT, FRAME FORKS, STRAPS s/n: 1FDXX46P76EA76358 ODOMETER READS: 319,337	146	1 each - 2000 NISSAN UD1800 ROLLBACK TRUCK, 18' STEEL BED, WINCH, UNDER LIFT, FRAME FORKS, STRAPS, 6 CYL DIESEL, 5 SPD s/n: JNAMB33HXYG55139 ODOMETER READS: 345,308
127	1 each - 2000 FORD F450 ENCLOSED SERVICE BODY, POWER STROKE, AUTO s/n: 1FDXF46F6YED98955 ODOMETER READS: 250,921	140	1 each - 1999 FORD F450 TWIN LINE WRECKER, JERR-DAN HPL35, RAMSEY WINCHES, UNDER LIFT, TOW DOLLIES, POWER STROKE 7.3, 6 SPD s/n: 1FDXF46F2XED63389 ODOMETER READS: 158,507	147	1 each - 1985 FORD F800 ROLLBACK, JERR-DAN, 20' STEEL BED, WINCH, V8 DIESEL, 5/2 SPD *TITLE BRANDED, ODOMETER EXCEEDS MECHANICAL LIMITS* s/n: 1FDPK84NXFA06781 ODOMETER READS: 25,054
128	1 each - 2001 CHEV 2500 HD EXT CAB, SERVICE BODY, V8, AUTO s/n: 1GCHC29U11E253344 ODOMETER READS: 281,577	141	1 each - 1998 NISSAN UD1800 CABOVER, TWIN LINE WRECKER, CENTURY 411/412 8-TON BOOM, UNDER LIFT, FRAME FORKS, STRAPS, SPEED DOLLIES, 6 CYL DIESEL, 6 SPD s/n: JNAMA20H4WGB65068 ODOMETER READS: 393,603	152	1 each - 1988 FORD FT900 T/A CRANE TRUCK, MANITEX 1161, 12.5 TON, 61' 3-SECTION BOOM, 22' GIB, BLOCK HOOK, OUTRIGGERS, 2-PERSON MAN BASKET, 6 CYL, DIESEL, 8 SPD s/n: 1FDYL90A8JVA12176 ODOMETER READS: 69,445
129	1 each - 1987 FORD F350 SERVICE BODY, V8, 4 SPD, LIFTGATE, TRANSFER TANK & PUMP s/n: 1FDKF37L8HKB00187 ODOMETER READS: 94,193	142	1 each - 2004 NISSAN UD1800 CABOVER, TWIN LINE WRECKER, CENTURY 411/412 8-TON BOOM, UNDER LIFT, FRAME FORKS, STRAPS, SPEED DOLLIES, 6 CYL DIESEL, 6 SPD s/n: JNAMB33H34AF75293 ODOMETER READS: 277,406	154	1 each - 2006 FORD F550 CREW CAB, 12' FLATBED/DUMP, POWER STROKE, AUTO s/n: 1FDAW56P36ED71956 ODOMETER READS: 137,687
134	1 each - 1988 FREIGHTLINER FLC120 T/A SLEEPER, TWIN LINE WRECKER, CENTURY 1040B 40-TON BOOM, RAMSEY WINCHES, FRAME FORKS, STRAPS, CUMMINS NTC350, 13 SPD s/n: 1FVXYCY98JH318869 ODOMETER READS: 361,223	143	1 each - 2000 NISSAN UD1800 CABOVER, TWIN LINE WRECKER, CENTURY 411/412 8-TON BOOM, UNDER LIFT, FRAME FORKS, STRAPS, SPEED DOLLIES, 6 CYL DIESEL, 6 SPD s/n: JNAMB33H7YGF55230 ODOMETER READS: 440,096	155	1 each - 2003 CHEV C4500 14' FLATBED/DUMP, DURAMAX, AUTO (ELECT ODO NOT WORKING) s/n: 1GBE4E1113F506327
135	1 each - 1996 KENWORTH T300 T/A TWIN LINE WRECKER, CENTURY 820 BOOM, RAMSEY WINCHES, UNDER LIFT, FRAME FORKS, STRAPS, DROP AXLE, CUMMINS 8.3, 9 SPD s/n: 3NKM77X9TF727597 ODOMETER READS: 289,722			157	1 each - 2008 FORD F450 EXT CAB 11' FLATBED, POWER STROKE, AUTO, LIFTMOORE 2700AR, CRANE, OUTRIGGERS s/n: 1FDXX46R58EE29524 ODOMETER READS: 36,237
136	1 each - 2017 RAM 4500 HD TWIN LINE WRECKER JERR DAN MPL40 BOOM, RAMSEY WINCHES, FRAME FORKS, STRAPS, SPEED DOLLIES, CUMMINS, AUTO s/n: 3C7WRKALXHG514517 ODOMETER READS: 54,556				

158	1 each - 2008 FORD F450 EXT CAB, 11' FLATBED, POWER STROKE, AUTO, LIFTMOORE 2700 AR, CRANE, OUTRIGGERS s/n: 1FDXX46R78EE29525 ODOMETER READS: 38,507	167	1 each - 2007 FUSO FE140 CABOVER, 12' FLATBED, 4 CYL DIESEL, AUTO s/n: JL6BBD1S37K014264 ODOMETER READS: 156,996	179	1 each - 2002 ISUZU NPR CABOVER, 12' VAN TRUCK, 4 CYL DIESEL, AUTO s/n: JALC4B14627000284 ODOMETER READS: 161,005
159	1 each - 2008 FORD F450 EXT CAB, 11' FLATBED, POWER STROKE, AUTO, LIFTMOORE 2700AR CRANE, OUTRIGGERS s/n: 1FDXX46R08EE29527 ODOMETER READS: 54,716	168	1 each - 2000 FORD F450 12' FLATBED, POWER STROKE, 7.3, AUTO, LIFTGATE s/n: 1FDXF46F7YED91545 ODOMETER READS: 122,879	180	1 each - 1998 ISUZU NPR CABOVER, 16' VAN TRUCK, 4 CYL DIESEL, AUTO, LIFTGATE s/n: JALC4B1K4W7000739 ODOMETER READS: 244,603
160	1 each - 2013 CHEV 3500 HD 11' FLATBED, DURAMAX, AUTO s/n: 1GB3CZC87DF222052 ODOMETER READS: 212,401	169	1 each - 2008 FORD E450 11' FLATBED, POWER STROKE, AUTO s/n: 1FDXE45P58DB55477 ODOMETER READS: 147,330	184	1 each - 2009 INT'L 4400 AID UNIT, MAXXFORCE 9, AUTO s/n: 1HTMRAZL69H135155 ODOMETER READS: 96,272
161A	1 each - 2012 CHEV 3500 HD 11' FLATBED, DURAMAX, AUTO s/n: 1GB3CZCL3CF147322 ODOMETER READS: 187,192	170	1 each - 1999 INT'L 4900 7 T/A 20' FLATBED, DT466E, 9 SPD s/n: 1HTSHAAROXH626442 ODOMETER READS: 155,836	185	1 each - 1991 SPARTAN GA40M-2142 PUMPER TRUCK, 1,500 GAL, 150 GPM, 450 HP DETROIT SERIES 60 (ELECT ODO NOT WORKING) s/n: 4S7BT9F07MC003699
161B	1 each - 2012 CHEV 3500 11' FLATBED, GM 6.6, AUTO s/n: 1GB3CZCL2CF215156 ODOMETER READS: 184,121	171	1 each - 1992 CHEV 3500 CREW CAB, 8' FLATBED, GM 5.7, 5 SPD s/n: 1GCGC33K5NJ318945 ODOMETER READS: 107,519	186	1 each - 1979 MACK CABOVER, CAB & CHASSIS, IMPACT ITINUATOR, 6 CYL DIESEL, 6 SPD s/n: MC685P1075 ODOMETER READS: 319,323
162	1 each - 2008 CHEV 3500 HD 8' FLATBED, DURAMAX, AUTO s/n: 1GBJC34688E157546 ODOMETER READS: 171,743	174	1 each - 2005 FORD F450 CAB & CHASSIS POWER STROKE, AUTO s/n: 1FDXF46P95EB32592 ODOMETER READS: 187,354	187	1 each - 2006 PETERBILT 335 BEVERAGE TRUCK, CAT C-7, AUTO s/n: 2NPLHD7X36M654429 ODOMETER READS: 76,037
163	1 each - 2008 CHEV 3500 HD 8' FLATBED, DURAMAX, AUTO s/n: 1GBJC34698E155516 ODOMETER READS: 217,414	175	1 each - 2009 FREIGHTLINER ROUTE STAR STEP VAN, CUMMINS, AUTO, CUMMINS ONAN COMMERCIAL QD GEN SET s/n: 4UZAAPDU69CAG8963 ODOMETER READS: 51,688	188	1 each - 1998 GMC 3500 25-PASSENGER BUS, V8 DIESEL, AUTO, TAG/A s/n: 1GDJG31F1W1012208 ODOMETER READS: 56,372
164	1 each - 2005 CHEV C4500 11' FLATBED, DURAMAX, AUTO s/n: 1GBE4C1245F523669 ODOMETER READS: 208,017	176	1 each - 2001 WORKHOUSE P40 STEP VAN, V8, AUTO s/n: 5B4KP42R913330586 ODOMETER READS: 35,487		
165	1 each - 2006 FORD F450 12' FLATBED, POWER STROKE, AUTO s/n: 1FDXF46P66EB73179 ODOMETER READS: 203,359	177	1 each - 2004 INT'L 4300 20' VAN TRUCK, DT466, AUTO s/n: 1HTMMAAL34H621134 ODOMETER READS: 84,995		
166	1 each - 2004 FORD F450 8' FLATBED, POWER STROKE, AUTO s/n: 1FDXF46P04ED47776 ODOMETER READS: 87,147	178	1 each - 2006 FORD LCF 12' VAN TRUCK, 6 CYL DIESEL, AUTO s/n: 3FRLL45Z46V336398 ODOMETER READS: 80,828		

201	1 each - 1999 GENIE S40 2WD 40' 500 LB SELF PROPELLED BOOM LIFT, FORD LRG-4251 PROPANE HOUR METER READS: 3,573 s/n: 2830	211	1 each - 1998 FLEX-O-LITE TRAILER MOUNTED ARROW BOARD, LOMBARDINI 1 CYL DIESEL, HOUR METER READS: 3,067 s/n: 1S9AS1115VL358669	225	1 each - 1999 EAGER BEAVER 15HDB T/A 24' 15-TON BEAVERTAIL EQUIPMENT TRAILER, ELECT BRAKES, RAMPS, TIRE SIZE: 215/75R-17.5 s/n: 112HAT307XL054193
202	1 each - 1998 JLG 2646E 26' 750 LB SELF PROPELLED SCISSOR LIFT, 24V *NEEDS REPAIR* s/n: 0200039214	212	1 each - 2007 ATLAS COPCO XAS 185WDJ TRAILER MOUNTED 185 CFM AIR COMPRESSOR, JOHN DEERE 4024TF 270 HOUR METER READS: 04418 s/n: 4500A10177R021029	226	1 each - 1997 EAGER BEAVER 25TXL/3 TRI-AXLE 30' TILTBED EQUIPMENT TRAILER, A/B, TIRE SIZE: 215/75R-17.5 s/n: 112TEX340VA049936
203	1 each - 2004 GENIE GS-2632 32' 500 LB SELF PROPELLED SCISSOR LIFT, 24V HOUR METER READS: 292 s/n: GS3204-61126	213	1 each - 2008 ATLAS COPCO XAS 185JD7 TRAILER MOUNTED 185 CFM AIR COMPRESSOR, JOHN DEERE 4024TF 281 DIESEL HOUR METER READS: 01778 s/n: 4500A10178R030556	227	1 each - 1997 TRAIL KING TK60HT-362 T/A 36' 30-TON EQUIPMENT TRAILER, HYD DOVETAIL, WINCH, A/B, TIRE SIZE: 10R-17.5 s/n: 1TKA0362XVM058995
204	1 each - GENIE GS-1930 19' 500 LB SELF-PROPELLED ELECTRIC PLATFORM LIFT, 48V W/CHARGER s/n: GS3011A111304	214	1 each - 1988 INGERSOLL RAND 160 S/A TRAILER MOUNTED 160 CFM AIR COMPRESSOR HOUR METER READS: 352 s/n: 169096U88178	228	1 each - 1996 LANDOLL T/A 48' TRAVELING AXLE, 35-TON EQUIPMENT TRAILER, AIR SUSPENSION, LOAD SCALE, WINCH, A/B, TIRE SIZE: 10R-17.5 s/n: 1LH66OUH2T1008218
205	1 each - GENIE GS1930 19' 500 LB SELF-PROPELLED ELECTRIC PLATFORM LIFT, 48V W/CHARGER s/n: GS3011A111318	215	1 each - MULTIQUIP DCA 40SSAI TOW BEHIND, 40 KVA GEN SET ISUZU 4 CYL DIESEL HOUR METER READS: 260 **NOT ROAD LEGAL/NOT TITLED** *YARD USE ONLY* s/n: 3311605	229	1 each - 2017 RENN SLSDR38 QUAD/A SIDE DUMP TRAILER, AIR SUSPENSION, FRONT & REAR DROP AXLES, A/B, PUSH BLOCK, 425/65R22.5 s/n: 2S9NM7691H1038823
206	1 each - GENIE GS-1930 19' 500 LB SELF-PROPELLED ELECTRIC PLATFORM LIFT, 48V W/CHARGER s/n: GS3011A111290	216	1 each - 1973 P&H 440TC T/A 40-TON TRUCK CRANE, 130' BOOM, AUX DRUM, 4 AXLE CARRIER, OUTRIGGERS, DETROIT 671 5+4 SPD s/n: 35773 ODOMETER READS: 48,756	231	1 each - 1990 CUSTOM BUILT T/A 31' END DUMP TRAILER, SPRING SUSPENSION, BARN GATE, A/B, TIRE SIZE: 285/75R-24.5 s/n: WA86135444
207	1 each - GENIE GS-2632 26' 500 LB ELECTRIC SELF-PROPELLED PLATFORM LIFT, 48V W/CHARGER s/n: 80667	217	1 each - 2007 VIBROTECH SCM-75 TRAILER MOUNTED SHAKER SCREEN, SCREENS: UPPER 4", LOWER 2", SCREEN AREA, 119" X 90", JOHN DEERE 4024TF270 HOUR METER READS: 4,880 s/n: 2V9TACDC36P022195	232	1 each - 2003 UNIVERSAL FIREFLASH T/A 53' MOBILE LIVE FIRE TRAINING SIMULATOR, 32,000 GVWR, A/B, 215/75R17.5 s/n: 1U9SV53223R078510
208	1 each - 2000 GENIE GS-2646 26' 1,000 LB ELECTRIC SELF-PROPELLED PLATFORM LIFT, 48V W/CHARGER (DOES NOT OPERATE) s/n: 23205	218	1 each - 2003 ADDCO DH1000 TRAILER MOUNTED SOLAR POWERED MESSAGE BOARD s/n: 1A9H121043M157428	233	1 each - 2010 RELIANCE ATALT 53-4 QUAD/A 53' ALUMINUM LIVE FLOOR TRAILER, 142 CUBIC YARD, 86,000 GVR, 20,000 GAWR, FRONT & REAR DROP AXLES, 11R22.5 s/n: 5RESZ0489AS102004
209	1 each - SRE CO FLEXIBLE EMSP-6 SELF-PROPELLED SEWER RODDING EASEMENT MACHINE, KOHLER MAGNUM 20 s/n: EMSP-6-98162	224	1 each - 2000 ZIEMAN 2324 T/A 24' 10-TON TILTBED EQUIPMENT TRAILER, A/B, RAMPS, TIRE SIZE: ST285/85R16 s/n: 1ZCT31A28YZP21531	234	1 each - 2008 RELIANCE ATALT 53-4 QUAD/A 53' ALUMINUM LIVE FLOOR TRAILER, 142 CUBIC YARD, 86,000 GVWR, 20,000 GAWR, FRONT & REAR DROP AXLES, 11R22.5 s/n: 5RESZ04878S082023
210	1 each - 1992 SIGNAL FLEX-O-LITE TRAILER MOUNTED ARROW BOARD, LOMBARDINI 6LD 260 DIESEL, HOUR METER READS: 2,963 s/n: 9872				

235	1 each - 2008 RELIANCE ATALT 53-4 QUAD/A 53' ALUMINUM LIVE FLOOR TRAILER, 142 CUBIC YARD, 86,000 GVWR, 20,000 GAWR, FRONT & REAR DROP AXLES, 11R22.5 s/n: 5RESZ04898S082024	244	1 each - 1972 PEERLESS S2P2F TANDEM SPREAD AXLE 40' FLATBED, 56,000 GVWR, A/B, 11R24.5 s/n: 725269	255	1 each - 2004 ZIEMAN 33305 S/A, 5' X 15' UTILITY TRAILER, DROP RAMP, ST185/80D13 s/n: 1ZCF170154PA17732
236	1 each - 2006 IMCO 53A102V QUAD/A 53' ALUMINUM BELT, LIVE FLOOR TRAILER, TARPING SYSTEM, SELF STEERING DROP AXLE, AIR SUSPENSION, A/B, TIRE SIZE: 385/65R-22.5 s/n: 1M9V5348761041010	245	1 each - 1952 UTILITY SWX12 T/A 40' FLAT DECK, 44,000 LB MAX CAPACITY, A/B, 10.00-20 s/n: 22434	256	1 each - 1998 HAULMARK C510BS S/A 5' X 10' ENCLOSED UTILITY TRAILER W/SIDE DOOR & SWING DOORS, ST205/75R15 s/n: 16HCB1012WU009880
237	1 each - 2002 STAR TRAILERS GPHS40RTSS T/A 40' ALUMINUM LIVE FLOOR TRAILER, 68,000 GVWR, 22,000 GAWR, A/B, 11R22.5 s/n: 1S9H402062S026475	246	1 each - 2011 BIG TEX 2FGN-20BK+ 5CP T/A 25' 10-TON GOOSENECK BEAVERTAIL EQUIPMENT TRAILER, ELECT BRAKES, RAMPS, TIRE SIZE: 235/80R-16 s/n: 16VGX2024B4699379	257	1 each - 2001 INTERSTATE 10-1/2' ENCLOSED CARGO TRAILER, SWING DOOR, RIGHT SIDE DOOR, TIRE SIZE 205/75R-15 s/n: 4RACS10101N011152
238	1 each - 1997 UTILITY V52R T/A 53' REFER VAN TRAILER, REAR UNIT, A/B, TIRE SIZE: 295/75R-225 s/n: 1UYV52537VU070420	247	1 each - 1997 SHOPBUILT 6' X 15' T/A GOOSENECK TRAILER, ELECT BRAKES, ST225/75R15 s/n: WA941818551	258	1 each - 1991 TRAIL MAX TD-20-T T/A 24' 10-TON TILTBED EQUIPMENT TRAILER, ELECT BRAKES, A/B, TIRE SIZE: 9:50R-16.5 (BENT FRAME) s/n: 1G9KS3129MA065231
239	1 each - 1998 HYUNDAI VI248014ZJSR T/A 48' VAN TRAILER, 65,000 GVWR, 20,000 GAWR, A/B, ROLL UP DOOR, LIFTGATE, 295/75R22.5 s/n: 3H3V482C2WT020118	248	1 each - 2007 PJ T/A 12' HYDRAULIC DUMP TRAILER, SWING/SPREAD GATE, ELECT BRAKES, TIRE SIZE: ST235/85R16 s/n: 4P5D6122971097374	259	1 each - 1988 TRAIL-EZE D12H24 T/A 24' FLAT DECK W/HYDRAULIC BEAVERTAIL, GVWR 31,800, GAWR 11,160, ELECTRIC BRAKES, 9.50R16.5LT *NEEDS REPAIR* s/n: 1DA12FM09JPOO9348
240	1 each - 1990 FRUEHAUF FB9-F2-48 T/A 48' VAN TRAILER, 68,000 GVWR, 20,000 GAWR, A/B, ROLL UP DOOR, 295/75R22.5 s/n: 1H4V04827LJ006801	249	1 each - 2015 MAXEY D816-HD TRI/AXEL 16' X 7' HYD DUMP TRAILER, GVWR 21,000 LB, SWING DOORS, RAMPS, ELECT BRAKES, ST235/80R16 s/n: 5R8D81635FM035175	261	1 each - MI-T-CORP 2403 PRESSURE WASHER, #1/#2 DIESEL FIRED BURNER, HONDA GX200, 225-GAL WATER TANK, HOSE REEL, YARD TRAILER *NOT ROAD LEGAL, NON-TITLED, NEEDS REPAIR*
241	1 each - 1980 BLACK DIAMOND 445V45 T/A 45' VAN TRAILER, 68,000 GVWR, 20,000 GAWR, A/B, SIDE DOOR, ROLL UP DOOR, 11R24.5 s/n: 800581	250	1 each - 1986 HALET 10-1/2' TILTBED EQUIPMENT TRAILER, DROP GATE, TIRE SIZE 205/75R15 s/n: 16YJT1012GMS06862	262	1 each - 8' END BOX ASPHALT PAVER
242	1 each - 1990 FRUEHAUF FB9-F2-40 T/A 40' VAN TRAILER, 68,000 GVWR, 20,000 GAWR, A/B, ROLL UP DOOR, LIFTGATE, 275/80R22.5 s/n: 1H2V0402XLE032001	251	1 each - 1996 GARLAND T/A 12' EQUIPMENT TRAILER, ELECT BRAKES, TIRE SIZE: 225/75R-15 s/n: 1B9U8122XTS003034	271	1 each - HYUNDAI ELECTRIC GOLF CART, 36V W/CHARGER (NON-RUNNING) HOUR METER READS: 9,887
243	1 each - 2002 FRUEHAUF QUAD/A 53' FLAT DECK, 295/75R22.5 s/n: 1JJF534F625784162	252	1 each - 12' UTILITY TRAILER, ELECT BRAKES, DROP GATE, TRANSFER TANK, TIRE SIZE: 225/75R15 s/n: 002784	272	1 each - YALE GLP040A 3,700 LB CUSHION TIRE FORKLIFT, 218" FORK HEIGHT, 3-STAGE MAST, SIDE SHIFT, 4 CYL, LPT, HOUR METER READS: 22,641 *CRANKS, WILL NOT START* s/n: A810N04952W
		253	1 each - 2005 FREEWAY S/A 6' X 12' UTILITY TRAILER, DROP RAMP, ST205/75R15 s/n: 1C9BE24165P692443	273	1 each - LIFT KING LK65 6,000 LB HRT FORKLIFT HOUR METER READS: 0658 (ENGINE IN PARTS) s/n: IK87526
		254	1 each - 1989 ZEMAN T/A 20' TILTBED EQUIPMENT TRAILER, HYD BRAKES, RAMPS, TIRE SIZE 215/75R-17.5 s/n: 1ZCT27S21KZP15355		

274	1 each - CLARK TMG-158 3,000 LB HRT 36V ELECTRIC FORKLIFT, 204" FORK HEIGHT, 3-STAGE MAST, SIDE SHIFT, FORK POSITIONERS (NO FORKS) s/n: TMG24810199570KF	283	1 each - 2015 FORD EXPLORER SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (NO REAR SEATS, ACCIDENT DAMAGE) s/n: 1FM5K8AR6FGC41732 ODOMETER READS: 83,270	292	1 each - 2011 TOYOTA CAMRY 4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (ACCIDENT DAMAGE, MISSING PARTS) s/n: 4T4BF3EK1BR153745 ODOMETER READS: 80,735
275	1 each - 2007 FORD LCF CABOVER, 14' VAN TRUCK, POWER STROKE 4.5, LIFTGATE (ELECT ODO NOT WORKING, NON- RUNNING, TOWED IN) s/n: 3FRLL45Z87V467769	284	1 each - 2010 FORD F550 EXT CAB BUCKET TRUCK, ALTEC AT37G, 37', 350 LB (CITY DISCLOSURE: ACCIDENT DAMAGE) s/n: 1FDAX5GR0AEA92731 ODOMETER READS: 103,870	294	1 each - 2005 CHEV ASTRO PASSENGER VAN, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (ABS ISSUES, NON-RUNNING, TOWED IN) s/n: 1GNDM19X85B129473 ODOMETER READS: 211,152
276	1 each - 2004 FORD F450 CAB & CHASSIS, POWER STROKE, AUTO, 4WD (NON-RUNNING, TOWED IN) s/n: 1FDXF47PX4ED48772 ODOMETER READS: 169,747	285	1 each - 1994 VOLVO L70 WHEEL LOADER, 110 HP TD45B, Q/C 96" BUCKET, AUX HYD, A/C CAB, 17.5-25 HOUR METER READS: 11,707 (NON-RUNNING) s/n: L70V61566	301	1 each - 2007 GILLIG G27D102N4 40' 38-PASSENGER BUS, CUMMINS ISL280, AUTO, WHEELCHAIR LIFT s/n: 15GGD271271078229 ODOMETER READS: 418,712
277	1 each - 2016 FORD EXPLORER SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (CITY DISCLOSURE: HOLE IN RADIATOR, BODY DAMAGE) s/n: 1FM5K8AT2GGB55024 ODOMETER READS: 80,177	286	1 each - 1999 CHEV 3500 CARGO VAN, V8, AUTO (NON-RUNNING, CRANKS WILL NOT START) s/n: 1GCHG35RXX1135417 ODOMETER READS: 161,771	302	1 each - 2007 GILLIG G27D102N4 40' 38-PASSENGER BUS, CUMMINS ISL280, AUTO, WHEELCHAIR LIFT s/n: 15GGD271971078227 ODOMETER READS: 410,011
278	1 each - 2001 FORD E450 14-PASSENGER BUS, POWER STROKE 7.3, AUTO, WHEELCHAIR LIFT (COOLANT LEAK) s/n: 1FDXE45F61HA74025 ODOMETER READS: 414,023	287	1 each - 2007 FORD F150 EXT CAB PICKUP, V8, AUTO, A/C, CRUISE, TILT (MISSING FRONT END PARTS, ELECT ODO NOT WORKING) s/n: 1FTVX12587NA36869	303	1 each - 2007 GILLIG G27B102N4 35' 31-PASSENGER BUS, CUMMINS ISL280, AUTO, WHEELCHAIR LIFT s/n: 15GGB271371077574 ODOMETER READS: 472,001
279	1 each - 2004 FORD F650 SERVICE BODY, 210 HP, CAT 3126, 7 SPD (ENGINE & TRANS IN BACK OF TRUCK, PARTS MISSING) s/n: 3FRNF65P74V665331 ODOMETER READS: 79,261	288	1 each - 2017 FORD FIESTA 4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/LOCK **TITLE BRANDED SALVAGED, ELECT ODO NOT WORKING** (NON-RUNNING) s/n: 3FADP4BJ8HM144968	304	1 each - 2004 GILLIG G29E102R2 29' 30-PASSENGER BUS, CUMMINS ISL280, AUTO, WHEELCHAIR LIFT s/n: 15GGE291141090663 ODOMETER READS: 490,367
280	1 each - 2016 CHEV COLORADO PICKUP, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (COUNTY DISCLOSURE: BENT FRAME, NO POWER STEERING, NON-RUNNING) s/n: 1GCHSBEA2G1288201 ODOMETER READS: 31,195	289	1 each - 2007 LEXUS IS250 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (ACCIDENT DAMAGE, DOES NOT RUN) s/n: JTHBK262072035951 ODOMETER READS: 158,920	305	1 each - 2004 GILLIG G29E102R2 29' 30-PASSENGER BUS, CUMMINS ISL280, AUTO, WHEELCHAIR LIFT s/n: 15GGE291X41090662 ODOMETER READS: 492,918
281	1 each - 2013 CHEV 3500 CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (NON-RUNNING, BODY PARTS REMOVED) s/n: 1GCWGGCA5D1184161 ODOMETER READS: 143,401	290	1 each - 2005 FORD TAURUS 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (BAD TRANSMISSION) s/n: 1FAPP53205A108948 ODOMETER READS: 51,296	306	1 each - 2004 GILLIG G29E102R2 29' 30-PASSENGER BUS, CUMMINS ISL280, AUTO, WHEELCHAIR LIFT s/n: 15GGE291341090664 ODOMETER READS: 479,076
282	1 each - 2019 FORD EXPLORER SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (NO REAR SEATS, ACCIDENT DAMAGE) s/n: 1FM5K8ARXKGB45774 ODOMETER READS: 7,860	291	1 each - 2008 CHEV UPLANDER 6-PASSENGER VAN, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (BAD TRANSMISSION) s/n: 1GNDV23W98D162316 ODOMETER READS: 150,651		

- 401 1 each -
2008 HARLEY DAVIDSON ROAD KING FLHP
MOTORCYCLE, V-TWIN, 6 SPD
s/n: 1HD1FHM178Y604631
ODOMETER READS: 6,616
-
- 402 1 each -
2006 SUZUKI GSXR750
MOTORCYCLE, 4 CYL, 6 SPD
s/n: JS1GR7KA862104570
ODOMETER READS: 1,349
-
- 403 1 each -
2003 HARLEY DAVIDSON ROAD GLIDE
MOTORCYCLE, V-TWIN, 5 SPD
s/n: 1HD1FSW493Y639152
ODOMETER READS: 29,447
-
- 404 1 each -
2010 ZACKY CUSTOM
CHOPPER, SPRINGER FRONT END, S&S SUPER STOCK 96 V-TWIN, ULTIMA 6 SPD TRANSMISSION, 180/55/ZR18
(TURNS OVER, WILL NOT START)
s/n: 1Z9HB2715AS299011
ODOMETER READS: 924
-
- 405 1 each -
2006 CADILLAC XLR
2 DR, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, CONVERTIBLE, NAVIGATION
s/n: 1G6YX36D265603170
ODOMETER READS: 17,794
-
- 406 1 each -
2007 CADILLAC ESCALADE ESV
SUV, AWD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF, NAVIGATION
s/n: 1GYFK66997R416035
ODOMETER READS: 52,162
-
- 407 1 each -
2015 FORD FUSION
4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF, NAVIGATION
s/n: 3FA6P0HD3FR226982
ODOMETER READS: 117,941
-
- 408 1 each -
2014 FORD MUSTANG
2 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, CONVERTIBLE
s/n: 1ZVBP8EM9E5220002
ODOMETER READS: 122,903
-
- 409A 1 each -
2014 TOYOTA COROLLA
4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, SUNROOF
s/n: 5YFBURHE8EP082624
ODOMETER READS: 97,048
-
- 409B 1 each -
2014 NISSAN SENTRA
4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, SUNROOF, NAVIGATION
s/n: 3N1AB7AD4EY319629
ODOMETER READS: 128,837
-
- 410 1 each -
2014 CHEV IMPALA
4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK
s/n: 2G1WA5E38E1167556
ODOMETER READS: 177,026
-
- 411 1 each -
2014 CHEV IMPALA
4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK
s/n: 1G1125S36EU112085
ODOMETER READS: 173,951
-
- 412 1 each -
2014 DODGE CHARGER
4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF
s/n: 2C3CDXH99EH230302
ODOMETER READS: 128,807
-
- 413 1 each -
2013 FORD FUSION
4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK
s/n: 3FA6P0HR2DR236816
ODOMETER READS: 136,402
-
- 414 1 each -
2012 FORD TAURUS SHO
4 DR, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF, NAVIGATION
s/n: 1FAHP2KT1CG125396
ODOMETER READS: 165,165
-
- 415 1 each -
2014 FIAT 500L
4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, NAVIGATION
s/n: ZFBCFACH3EZ016315
ODOMETER READS: 53,240
-
- 416 1 each -
2009 CHRYSLER 300
4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK
s/n: 2C3KA43D09H528159
ODOMETER READS: 92,192
-
- 417 1 each -
2011 BMW 328i
2 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF
s/n: WBAKE3C51BE558445
ODOMETER READS: 65,640
-
- 418 1 each -
2010 HONDA FIT
4 DR, 4 CYL, 5 SPD, A/C, TILT, P/WDW, P/LOCK
s/n: JHMGE8G25AC034293
ODOMETER READS: 164,922
-
- 419 1 each -
2016 TOYOTA CAMRY
4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF *TITLE BRANDED REBUILT/SALVAGE AIR BAGS & INTERIOR COMPONENTS DAMAGED & MISSING*
s/n: 4T1BF1FK9GU519827
ODOMETER READS: 45,281
-
- 420 1 each -
2007 LEXUS IS250
4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF, NAVIGATION
s/n: JTHBK262472026718
ODOMETER READS: 65,154
-
- 421 1 each -
2008 NISSAN ALTIMA
4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF
s/n: 1N4AL21E18N502280
ODOMETER READS: 182,755
-
- 422 1 each -
2002 MERCEDES CL55 AMG
2 DR, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF
s/n: WDBDJ73J92A029534
ODOMETER READS: 82,418
-
- 423 1 each -
2006 MERCEDES E350
4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF, NAVIGATION
s/n: WDBUF56J96A869016
ODOMETER READS: 116,832
-
- 424 1 each -
2007 VOLKSWAGEN JETTA
4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, SUNROOF (DAMAGED IGNITION SWITCH, ELECTRICAL ISSUES)
s/n: 3VWEF71K27M132677
ODOMETER READS: 124,662
-
- 425 1 each -
2005 PONTIAC GRAND AM
4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (TITLE BRANDED FORMER RENTAL)
s/n: 1G2NE52E55M220929
ODOMETER READS: 210,210
-

426	1 each - 2001 OLDSMOBILE AURORA 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1G3GR64H914106335 ODOMETER READS: 106,733	435	1 each - 2008 FORD CROWN VIC 4 DR, V8, AUTO, A/C, TILT, P/WDW, P/SEAT, P/LOCK (LEFT SIDE DOOR DAMAGE) s/n: 2FAHP71VX8X101244 ODOMETER READS: 93,691	443B	1 each - 2014 NISSAN ROGUE SUV, AWD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 5N1AT2MV1EC848855 ODOMETER READS: 150,189
427	1 each - 2013 DODGE CHARGER 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2C3CDXAG3DH660495 ODOMETER READS: 92,804	436	1 each - 2004 FORD CROWN VIC 4 DR, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2FAHP71W54X160558 ODOMETER READS: 59,788	444	1 each - 2013 FORD ESCAPE SUV, AWD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FMCU9G99DUD03489 ODOMETER READS: 105,844
428	1 each - 2014 CHEV CAPRICE 4 DR, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 6G3NS5U26EL929661 ODOMETER READS: 106,266	437	1 each - 2006 FORD TAURUS 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP53236A241052 ODOMETER READS: 99,401	445	1 each - 2014 CHEV TAHOE SUV, 2WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GNLC2E0XER218398 ODOMETER READS: 118,366
429	1 each - 2010 CHEV IMPALA 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2G1WA5EK1A1191182 ODOMETER READS: 97,772	438	1 each - 2005 FORD TAURUS 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP53295A303990 ODOMETER READS: 125,240	446	1 each - 2011 FORD EXPLORER SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FMHK8B81BGA36333 ODOMETER READS: 98,645
430	1 each - 2006 CHEV IMPALA 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2G1WS581969408227 ODOMETER READS: 62,004	439	1 each - 2005 FORD TAURUS 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP53265A266008 ODOMETER READS: 119,024	447	1 each - 2009 MERCEDES GL320 SUV, AWD, 6 CYL, DIESEL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF, NAVIGATION s/n: 4JGBF25E79A494593 ODOMETER READS: 146,627
431	1 each - 2008 FORD TAURUS 4 DR, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1FAHP27W28G147949 ODOMETER READS: 64,871	440	1 each - 2005 FORD TAURUS 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP53225A303989 ODOMETER READS: 52,255	448	1 each - 2009 FORD ESCAPE SUV, AWD, HYBRID, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FMCU59329KB00447 ODOMETER READS: 82,008
432	1 each - 2006 FORD FIVE HUNDRED 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP24136G182568 ODOMETER READS: 87,683	441	1 each - 2015 JEEP PATRIOT SUV, 2WD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1C4NJPBA2FD264582 ODOMETER READS: 94,236	449	1 each - 2008 JEEP WRANGLER SUV, 4WD, 6 CYL, AUTO, A/C, TILT (RIGHT HAND DRIVE) s/n: 1J4FZ24178L569981 ODOMETER READS: 86,391
433	1 each - 2004 TOYOTA PRIUS 4 DR, HYBRID, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: JTDKB22U640032388 ODOMETER READS: 80,158	442	1 each - 2014 DODGE JOURNEY SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 3C4PDDBG0ET297558 ODOMETER READS: 115,448	450	1 each - 2001 JEEP WRANGLER SUV, 4WD, 6 CYL, AUTO, TILT (RIGHT HAND DRIVE) s/n: 1J4FA49S81P347839 ODOMETER READS: 136,555
434	1 each - 2008 FORD CROWN VIC 4 DR, V8, AUTO, A/C, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2FAHP71V78X101251 ODOMETER READS: 129,544	443A	1 each - 2016 JEEP COMPASS SUV, 4WD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1C4NJDBB9GD566539 ODOMETER READS: 148,696	451	1 each - 2003 CHEV BLAZER SUV, 2WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GNCS19X03K151460 ODOMETER READS: 105,664

452	1 each - 1997 FORD EXPEDITION SUV, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FMFU18L9VLA13740 ODOMETER READS: 247,072	458B	1 each - 2007 GMC ENVOY SUV, AWD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1GKET63M572184658 ODOMETER READS: 219,820	466	1 each - 2008 CHEV COLORADO PICKUP, 4WD, AUTO, 5 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (NO BACK SEAT) s/n: 1GCDT39E588217937 ODOMETER READS: 110,941
453A	1 each - 1993 FORD EXPLORER SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, P/WDW, P/LOCK s/n: 1FMDU34X9PUD96197 ODOMETER READS: 28,650	459	1 each - 2013 DODGE 1500 CREW CAB PICKUP, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1C6RR7FG2DS671651 ODOMETER READS: 114,220	467	1 each - 2008 FORD F250 EXT CAB PICKUP, 4WD, POWER STROKE, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FTSX21R88EE18544 ODOMETER READS: 119,293
453B	1 each - 1996 JEEP CHEROKEE SUV, 4WD, 6 CYL, AUTO, A/C, TILT s/n: 1J4FJ28S3TL228032 ODOMETER READS: 85,535	460A	1 each - 2014 CHEV 1500 CREW CAB PICKUP, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GCVKREH4EZ117022 ODOMETER READS: 119,319	468	1 each - 2007 CHEV COLORADO EXT CAB PICKUP, 4WD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GCDT199878231241 ODOMETER READS: 133,864
454	1 each - 2007 CHEV TRAIL BLAZER SUV, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GNNDT13S272271546 ODOMETER READS: 162,155	460B	1 each - 2012 FORD F150 CREW CAB PICKUP, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1FTFW1ET4CFB85964 ODOMETER READS: 187,404	469	1 each - 2007 DODGE 3500 CREW CAB PICKUP, 4WD, CUMMINS DIESEL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 3D7MX39A47G821897 ODOMETER READS: 279,513
455	1 each - 1998 TOYOTA 4 RUNNER SUV SUV, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, SUNROOF s/n: JT3HN86R6W0160955 ODOMETER READS: 262,064	461	1 each - 2013 FORD F150 CREW CAB PICKUP, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FTEX1EMXDKE18711 ODOMETER READS: 201,798	470	1 each - 2005 CHEV 2500 EXT CAB PICKUP, 4WD, DURAMAX DIESEL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GCHK29245E124196 ODOMETER READS: 144,520
456	1 each - 2013 CHEV SUBURBAN 1500 SUV, 4 WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, NAVIGATION (TITLE BRANDED FORMER RENTAL) s/n: 1GNSKKE7XDR211929 ODOMETER READS: 307,352	462	1 each - 2013 FORD F150 CREW CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FTFW1EF7DKF21173 ODOMETER READS: 216,545	471	1 each - 2004 GMC CANYON EXT CAB PICKUP, 4WD, 5 CYL, AUTO, A/C s/n: 1GTDT196848169986 ODOMETER READS: 137,969
457A	1 each - 2011 JEEP LIBERTY SUV, 2WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1J4PP2GK2BW595988 ODOMETER READS: 108,933	463	1 each - 2013 FORD F250 CREW CAB, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FT7X2B67DEA24599 ODOMETER READS: 214,443	472	1 each - 2003 FORD RANGER PICKUP, 4WD, 6 CYL, AUTO, A/C (NO BACK SEAT) s/n: 1FTZR15E93PA70342 ODOMETER READS: 195,120
457B	1 each - 2008 NISSAN ROGUE SUV, 4WD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: JNBAS58TX8W015497 ODOMETER READS: 166,893	464	1 each - 2011 FORD F150 CREW CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FTFW1EF8BKD52794 ODOMETER READS: 205,412	473	1 each - 2002 FORD F350 CREW CAB PICKUP, 4WD, POWER STROKE, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FTSW31F22EC62944 ODOMETER READS: 313,588
458A	1 each - 2010 CHEV TRAVERSE SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (TITLE BRANDED FORMER RENTAL) s/n: 1GNLVFED9AJ215666 ODOMETER READS: 202,537	465	1 each - 2009 FORD F250 CREW CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FTSW21519EA55344 ODOMETER READS: 106,979	478	1 each - 2002 FORD F150 EXT CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT s/n: 2FTRX18W12CA78557 ODOMETER READS: 150,083

479	1 each - 2009 CHEV COLORADO EXT CAB PICKUP, 4 CYL, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK (NO BACK SEAT) s/n: 1GCCS199498132188 ODOMETER READS: 117,491	491	1 each - 2013 MAZDA CX-5 6-PASSENGER VAN, 4 CYL, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: JM1CW2CLOD0150628 ODOMETER READS: 86,386	501	1 each - 2009 CHEV 2500 EXPRESS CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GCGG25C291173714 ODOMETER READS: 174,038
480	1 each - 2008 FORD RANGER EXT CAB PICKUP, 6 CYL, AUTO s/n: 1FTZR14U48PB06549 ODOMETER READS: 57,309	492	1 each - 2008 CHEV 3500 15-PASSENGER VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GAHG39K481184345 ODOMETER READS: 148,534	502	1 each - 2009 CHEV 2500 EXPRESS CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GCGG25C691128405 ODOMETER READS: 179,918
481	1 each - 2008 FORD F250 PICKUP, V8, AUTO, A/C, P/PWDW, P/LOCK s/n: 1FTNF20598EA62930 ODOMETER READS: 64,789	493	1 each - 2010 FORD E250 PASSENGER VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK, WHEELCHAIR LIFT s/n: 1FTNE2EW6ADA10543 ODOMETER READS: 405,726	503	1 each - 2009 CHEV 2500 EXPRESS CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GCGG25C591128122 ODOMETER READS: 209,443
482	1 each - 2006 CHEV COLORADO PICKUP, 4 CYL, AUTO, A/C, CRUISE, TILT *ELECT ODO NOT WORKING, MISSING SIDE MIRRORS & ELECTRICAL ISSUES* s/n: 1GCCS148968182238	494	1 each - 1997 DODGE 3500 PASSENGER VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 2B5WB35ZXVK586590 ODOMETER READS: 101,223	504	1 each - 2009 CHEV 2500 EXPRESS CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GCGG25C691128288 ODOMETER READS: 234,846
483	1 each - 2005 FORD F150 CREW CAB PICKUP, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1FTRW12W05FB27879 ODOMETER READS: 267,079	495	1 each - 2001 FORD WINDSTAR 7-PASSENGER VAN, 6 CYL, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 2FMZA50491BC25923 ODOMETER READS: 90,923	505	1 each - 2008 FORD E250 CARGO VAN, V8, AUTO, A/C, TILT s/n: 1FTNE24L18DA70151 ODOMETER READS: 155,973
484	1 each - 2004 FORD F250 PICKUP, 4WD, V8, AUTO, A/C s/n: 1FTNF21L24EC07653 ODOMETER READS: 251,542	496	1 each - 1998 FORD WINDSTAR 5-PASSENGER VAN, 6 CYL, AUTO, A/C s/n: 2FTZA5445WBD38029 ODOMETER READS: 162,506	506	1 each - 2008 FORD E250 CARGO VAN, V8, AUTO, A/C, TILT s/n: 1FTNE24L38DA50547 ODOMETER READS: 158,375
485	1 each - 2003 FORD F350 EXT CAB PICKUP, V8, AUTO, A/C s/n: 3FTSX30L43MB42336 ODOMETER READS: 147,993	497	1 each - 1996 CHEV ASTRO 8-PASSENGER VAN, 6 CYL, AUTO, A/C, CRUISE, TILT s/n: 1GNDM19W8TB158928 ODOMETER READS: 81,635	507	1 each - 2008 FORD E250 CARGO VAN, V8, AUTO, A/C, TILT s/n: 1FTNE24L68DA39400 ODOMETER READS: 168,218
486	1 each - 2000 FORD F250 PICKUP, V8, AUTO, A/C s/n: 3FTNF20L5YMA53182 ODOMETER READS: 156,027	498	1 each - 2001 CHRYSLER TOWN & COUNTRY 6-PASSENGER VAN, 6 CYL, AUTO, A/C, CRUISE, TILT, P/PWDW, P/SEAT, P/LOCK s/n: 2C8GP54L81R351983 ODOMETER READS: 155,538	508	1 each - 2007 FORD E250 CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1FTNE24W27DB29684 ODOMETER READS: 159,112
487	1 each - 1997 CHEV 3500 CREW CAB PICKUP, V8, AUTO, s/n: 1GCGC33R5VF031542 ODOMETER READS: 93,229	500	1 each - 2009 CHEV 2500 EXPRESS CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GCGG25C591173450 ODOMETER READS: 145,243	509	1 each - 2007 FORD E250 CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1FTNE24W57DB27816 ODOMETER READS: 168,884
488	1 each - 1997 CHEV S10 PICKUP, 4WD, 4 CYL, AUTO s/n: 1GCDT19W1V8204420 ODOMETER READS: 46,381			510	1 each - 2006 FORD E250 CARGO VAN, V8, AUTO, A/C, TILT, P/PWDW, P/LOCK s/n: 1FTNE24W66DA44135 ODOMETER READS: 165,842

- 511 1 each -
**2006 FORD
E250**
CARGO VAN, V8, AUTO, A/C,
TILT, P/WDW, P/LOCK
s/n: 1FTNE24W26DA44133
ODOMETER READS: 180,991
-
- 512 1 each -
**2006 FORD
E250**
CARGO VAN, V8, AUTO, A/C,
TILT, P/WDW, P/LOCK
s/n: 1FTNE24W86DA62023
ODOMETER READS: 187,263
-
- 513 1 each -
**2006 FORD
E250**
CARGO VAN, V8, AUTO, A/C,
TILT, P/WDW, P/LOCK
s/n: 1FTNE24W96DA88789
ODOMETER READS: 217,716
-
- 514 1 each -
**2005 CHEV 3500
EXPRESS**
CARGO VAN, V8, AUTO, A/C,
P/WDW, P/LOCK
s/n: 1GCHG39UX51222004
ODOMETER READS: 79,715
-
- 515 1 each -
**2005 CHEV 2500
EXPRESS**
CARGO VAN, V8, AUTO, A/C,
P/WDW, P/LOCK
s/n: 1GCGG25V851248282
ODOMETER READS: 140,812
-
- 516 1 each -
**2005 CHEV 2500
EXPRESS**
CARGO VAN, V8, AUTO, A/C
s/n: 1GCGG25V551223551
ODOMETER READS: 160,463
-
- 517 1 each -
**2004 CHEV 2500
EXPRESS**
CARGO VAN, V8, AUTO, A/C,
TILT, P/WDW, P/LOCK
s/n: 1GCGG25V341179323
ODOMETER READS: 154,060
-
- 518 1 each -
**2004 CHEV 2500
EXPRESS**
CARGO VAN, V8, AUTO, A/C
s/n: 1GCGG25V041179389
ODOMETER READS: 193,101
-
- 519 1 each -
**2003 CHEV 2500
EXPRESS**
CARGO VAN, V8, AUTO
s/n: 1GCGG25V431201523
ODOMETER READS: 169,737
-
- 520 1 each -
**2006 FORD
E250**
CARGO VAN, V8, AUTO, A/C,
TILT, P/WDW, P/LOCK
s/n: 1FTNE24W56DA88790
ODOMETER READS: 220,492
-
- 521 1 each -
**2003 CHEV 2500
EXPRESS**
CARGO VAN, V8, AUTO, A/C
s/n: 1GCGG25V731203685
ODOMETER READS: 257,779
-
- 522 1 each -
**1999 CHEV 3500
EXPRESS**
CARGO VAN, V8, AUTO
s/n: 1GCHG35RXX1135773
ODOMETER READS: 92,864
-
- 523 1 each -
**1998 CHEV 2500
EXPRESS**
CARGO VAN, V8, AUTO
s/n: 1GCGG25R9W1092841
ODOMETER READS: 78,365
-
- 524 1 each -
**1996 CHEV
ASTRO**
CARGO VAN, 6 CYL, AUTO
s/n: 1GCDM19W3TB156206
ODOMETER READS: 70,317
-
- 525 1 each -
**1995 CHEV
20**
CARGO VAN, V8, AUTO
s/n: 1GCEG25H5SF131954
ODOMETER READS: 87,757
-
- 526 1 each -
**1995 CHEV
10**
CARGO VAN, 6 CYL, AUTO
s/n: 1GCDG15Z7SF200612
ODOMETER READS: 92,039
-
- 527 1 each -
**1995 CHEV
20**
CARGO VAN, V8, AUTO
s/n: 1GCEG25H4SF132397
ODOMETER READS: 128,932
-
- 528 1 each -
**1994 GMC
1500**
CARGO VAN, V8, AUTO,
LIFTGATE
s/n: 1GTDG15Z5RF518318
ODOMETER READS: 90,544
-
- 529 1 each -
**1993 CHEV
10**
CARGO VAN, V8, AUTO, LIFTGATE
s/n: 1GCDG15Z0PF333395
ODOMETER READS: 70,262
-
- 530 1 each -
**1993 CHEV
10**
CARGO VAN, V8, AUTO
s/n: 1GCDG15Z3PF333259
ODOMETER READS: 77,292
-
- 531 1 each -
**1993 CHEV
20**
CARGO VAN, 6 CYL, AUTO
s/n: 1GCEG25Z0PF345234
ODOMETER READS: 89,250
-