

KENWORTH  
VMKXR036-1  
UNIT TYPE 2

CHASSIS FINAL BILL  
FOR VIN 1NKZX4EX5MJ457272  
OF FLEET 457272 THRU 457276

PAGE 001  
AS OF 08/31/20

DEALER CODE - P411  
NAME AND ADDRESS  
KENWORTH NORTHWEST, INC.

CUSTOMER NO - CG59  
STOCK

DATES  
REQ DELV 08/24/20

12507 PACIFIC HWY SW

T880 4-AX DUMP X15 ALL

DELIVERY 08/31/20  
PRIC EFF 08/31/20

LAKEWOOD WA 98499

PREVIOUS CHASSIS NO.

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS  
DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION

COMMODITY HAULED 0091042 GRAVEL/CRUSHED ROCK/SAND

INTENDED SERVICE 0093005 LOCAL PICKUP & DELIVERY

BODY

BODY TYPE 0095010 END DUMP

BODY LENGTH 192.00 IN BODY HEIGHT 162.00 IN  
MAX LADEN WEIGHT 4000.00 LBS

TRAILER

TRAILER TYPE

TRAILER LENGTH .00 FT TRAILER HEIGHT .00 FT  
KINGPIN .00 IN CTR LINE AXLE GRP .00 IN  
CORNER RADIUS .00 IN NO TRAILER AXLES 00

OPERATING AREA RESTRICTIONS

LENGTH 120.00 FT WIDTH 102.00 IN HEIGHT 13.50 FT  
\*\*\*\* DEALER ASSIGNED:

CHASSIS

FRONT AXLE LOAD 14600.00 LBS REAR AXLE LOAD 46000.00 LBS GCW 105500.00 LBS  
WHEELBASE 214.00 IN FAX/BOC 74.00 IN CAB/AXLE 140.00 IN  
CAB/EOF 198.00 IN MAXIMUM GRADE 06 PERCENT HIGHWAY 088  
% CLASS B 010  
% CLASS C 002  
% CLASS D 000

KENWORTH  
VMXKR036-1

CHASSIS FINAL BILL  
FOR VIN 1NKZX4EX5MJ457272  
UNIT TYPE 2 OF FLEET 457272 THRU 457276

PAGE 002  
AS OF 08/31/20

SPECIAL REQUIREMENTS  
SPECIAL RESTRICTIONS 0098025 U.S. DOMESTIC REGISTRY

ENGINEERING ASSIGNED RATINGS  
GAWR FRONT: 14,600.00 LBS  
GAWR FIRST INTER 11,020.00 LBS SECOND INTER 23,000.00 LBS  
GAWR REAR: 23,000.00 LBS  
GVWR: 71,620.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
----	-----	----	-----	-----
BASE MODEL				
0000810	T880 Series Conventional	P	206,646	14,843
0070060	T880	P	0	0
0080055	CARB IDLE EMISSIONS REDUCTION FEATURE	P	100	0
0090000	CUMMINS ENGINES			
	NONSLEEPER	P	0	0
	With rear axle capacity less than 59K			
ENGINE AND ENGINE EQUIPMENT				
0123658	X15 565V 565@2000 1850@1150	P	9,265	584
N0920	2017 W/INTEBRAKE, PRODUCTIVITY SERIES			
N0922	C399 120...STANDARD MAXIMUM SPEED LIMIT			
N0924	C402 0....EXPIRATION DISTANCE (C402)			
N0926	C209 120...HARD MAXIMUM SPEED LIMIT (C2			
N0930	C121 64....MAXIMUM ACCELERATOR PEDAL VE			
N0936	C128 64....MAXIMUM CRUISE SPEED (C128)			
N0938	C400 252...RESERVE SPEED FUNCTION RESET			
N0940	C334 0....MAXIMUM CYCLE DISTANCE (C334			
N0942	C401 10....MAXIMUM ACTIVE DISTANCE (C40			
N0944	C333 0....RESERVE SPEED LIMIT OFFSET (			
N0946	C234 NO....ENGINE PROTECTION SHUTDOWN (			
N0948	C231 NO....GEAR DOWN PROTECTION (C231)			
N0950	C132 1400..MAX PTO SPEED (C132)			
N0952	C239 NO....CRUISE CONTROL AUTO RESUME (			
N0954	C238 NO....AUTO ENGINE BRAKE IN CRUISE			
N0956	C395 0....EXPIRATION DISTANCE (C395)			
N0958	C225 YES...ENABLE IDLE SHUTDOWN PARK BR			
N0960	C133 5....TIMER SETTING (C133)			
N0962	C396 YES...ENABLE IMPENDING SHUTDOWN WA			
N0964	C397 60....TIMER FOR IMPENDING SHUTDOWN			
N0966	C206 35....ENGINE LOAD THRESHOLD (C206)			
N0968	C233 NO....IDLE SHUTDOWN MANUAL OVERRUL			
N0972	C382 YES...ENABLE HOT AMBIENT AUTOMATIC			
N0974	C188 40....LOW AMBIENT TEMPERATURE THRE			
N0976	C189 60....INTERMEDIATE AMBIENT TEMPERA			
N0978	C190 80....HIGH AMBIENT TEMPERATURE THR			
1000151	PREMIERSPEC	U	0	0
1000684	Effective VSL Setting NA	P	0	0
1000857	Engine Idle Shutdown Timer Enabled	P	0	0
1000859	Enable EIST Ambient Temp Override	P	0	0
1000891	Eff EIST NA Expiration Miles	P	0	0
	Use only with MX and Cummins engines			

KENWORTH  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 1NKZX4EX5MJ457272  
UNIT TYPE 2 OF FLEET 457272 THRU 457276

PAGE 003  
AS OF 08/31/20

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1002080	Air comp: Cummins 18.7 CFM, Naturally Aspirated for X15 engines	P	0	0
1051200	Air Cleaner: composite firewall mounted PACCAR or Cummins engines	P	0	0
1099080	PRE-CLEANER: MTD IN THE HOOD PLENUM	P	338	0
1105220	Fan Hub: Horton 2-Speed for X15	P	103-	0
1123555	COOLING MODULE: 1330 SQIN	P	0	0
1160208	BUGSCREEN MTD BETWEEN HOOD AND GRILL SEMI RIGID, NON-REM	P	122	2
1247179	EXH: 2017 EPA RH UND CAB DPF/SCR W/ DUAL SOC TPs F/ DAYCAB, EXT DAYCAB, MOD SLPR	P	1,630	161
1290224	Tailpipe: 5" Dual 24" 45 Deg Curved	P	142-	7-
1292944	Dual Lower Chrome Exhaust Elbow	P	657	0
1321110	Fuel Filter: PACCAR Ext. Serv. Interval	P	43	0
1321205	Fuel/Water Separator, 2017 and Later			
	Run Aid: Fuel Heat	P	0	0
	*For Fuel Filter			
1321300	Start Aid: None	P	0	0
	*For Fuel Filter			
1500029	Kenworth Fuel Cooler	P	222	7
	See Extended Prospector Desc. for Usage			
1504005	IMMERSION ENG BLOCK HTR: 110-120V/1500W	P	136	2
	PLUG LOC UNDER DOOR C5, T6, T8 & W9			
1816260	Alternator: PACCAR 160 amp, brush type	P	0	0
1821275	BATT: 3 AGM GP31 THR (925) 2775 CCA.	P	316	0
	For T680 & T880 in cab battery box only.			
1836103	PACCAR PREMIUM 12V STARTER W/ X15 ENGS	P	84	0
1840065	12V LOW VOLTAGE DISCONNECT FOR STARTER	P	0	0
	BATTERY PROTECTION			
1900996	JUMP START TERMINALS MTD UNDER HOOD	P	212	11
1901017	REMOTE PTO/THROTTLE, 12-PIN, ENG BAY	P	0	0
	REMOTE CONTROL PROVISION			
MAIN TRANSMISSION AND CLUTCH				
2016158	TRANS: ALLISON 4500RDS 6 SPD GEN 5, W/PTO W/O RETARDER	P	25,288	280
N2060	SCAAN 108714 7/2/2020 12:49:56 PM			
2406453	D/L: 2 DANA SPL250XL W/ 1 CB	P	1,028	84
	REQ 3500057 W/ TANDEM			
2410018	TORQUE CONVERTER INCLD W/ ALLISON TRANS	P	0	0
2410019	TRANSMISSION APPROVAL RECEIVED, SEE NAR	U	0	0
	NARRATIVE N2060 FOR RECEIVAL DATE			
2410154	Allison lever control, cntr console MTD Gen 5	P	392	0
2410204	Delete Allison Fuel Sense	P	0	0
2410426	ALLISON GEN 5 RDS PACKAGE 223	U	0	0
	FOR 3000, 3500, 4000, 4500, 4700 TRANS			
2410571	TORQUE CONVERTER: TC571 F/4000 SERIES	U	0	0
	USE WITH HD, 4000 & 4500 EVS, HS & RDS			
2429358	Trans PTO Rear Trans Supt Spring(s)	P	92	0
2429378	C/I 1st Allison Trans PTO#8 OClock POS	P	0	0
	Allison 3000/4000			



KENWORTH  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 1NKZX4EX5MJ457272  
OF FLEET 457272 THRU 457276

PAGE 004  
AS OF 08/31/20

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
-----	-----	-----	-----	-----
	FRONT AXLE AND EQUIPMENT			
2503463	FR DANA SPCR E-1462I 14.6K 3.5"	P	1,351-	66-
2607001	FR AIR DISC BRK:BENDIX TO 14.6K	P	362-	0
2690025	SPLINED ROTOR F/FR AIR DISC BRK F/USE W/IRON HUBS	P	207-	0
2702500	FR IRON HUB PIL MNT MAX CAP 14.6K 11.25" BC	P	548-	49
2741970	FR CONMET PRESET PLUS HUB PKG	P	0	0
2750001	FR HUBCAP VENTED	P	0	0
2769000	INCLUDED W/FR AXLE OR BRK: SLACK ADJST ALSO USE W/DISC BRKS	P	0	0
2864116	FR SPRG TAPERLEAF 16K W/SHOCKS TWO LEAF	P	474-	86-
2893881	PWR STRG SING GEAR, TRW TAS85 16K W900B/W990 AVAIL, N/A W9S/L OR T3	P	827-	31
2899336	PWR STRG COOLER RADIATOR MTD	P	0	0
2900616	THREADED BUSHINGS F/TAPERLEAF SPRG 16K, 18/20K, 22K, 40K RPL RUBBER	P	87	0
	REAR AXLE AND EQUIPMENT			
3144183	RR DANA SPCR D46-172HP 46K DUAL HVY DUTY W/PUMP	P	1,161	157-
3200456	REAR AXLE RATIO-4.56	P	0	0
3306001	RR AIR DISC BRK:BENDIX DUAL MAX 46K	P	0	40
3392604	SPLINED ROTOR FOR DUAL RR AIR DISC BRKS FOR USE WITH ALUMINUM HUBS	P	3,980	207-
3407050	RR HUB:AL HUB-PILOT DUAL 11-1/4" BC REQUIRES "R" SERIES OUTER ENDS	P	0	0
3441972	RR CONMET PRESET PLUS HUB PKG:DUAL	P	0	0
3465900	RR SLACK ADJUST:INCL W/AXLE OR BRAKES ALSO USE W/ DISC BRAKES	P	0	0
3485002	RR SPRING BRK:INCL W/AIR DISC BRAKES DUAL	P	0	0
3495227	ABS:BENDIX 6S/6M *AVL ONLY W/AIR BRK	P	2,549-	4
3500002	REAR AXLE APPROVAL RECEIVED*SEE N3840 FOR DATE OF RECEIPT*	U	0	0
3500057	I/A D/L: 1 DANA SPL170XL USE 3500060 FOR TRIDEM	P	179-	4-
3532194	WHEEL DIFF LOCK: D40-170/172(P)/D46 -170/172(H), (P)(WT) FWD RR & RR	P	2,811	112
3573111	CROSS/DIFF LOCK: SEPARATE SWTCH F/ DUAL AXLES	P	11	0
3742970	HEND HAULMAX (HMX)460 46K DUAL 54" AS 16.5" SADDLE HT, W/ SHOCKS	P	723	176
3808119	STRBL PSHR:WCAL 13.5K SL1190SSR ALUMILITE	P	13,918	1,272
3820036	STRBL PSHR BRK:BENDIX NON-RSD 15X4" USE W/ 13.5K AXLE	P	0	0
3820523	STRBL PSHR CAST BRK DRUM:15x4" F/USE W/ 13.5K AXLE	P	0	0

KENWORTH  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN INKZX4EX5MJ457272  
UNIT TYPE 2 OF FLEET 457272 THRU 457276

PAGE 005  
AS OF 08/31/20

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
3821121	STRBL PSHR HUB:AL,HUB PIL F/ USE W/ 13.5K AXLE	P	0	0
3828334	PSHR/TAG:GAU/SWITCH DASH-MT; GAUGE LH DR SEAT,REGULATOR UNDER DRIVER DOOR	P	0	0
3830145	DELETE STD HD AIR SPRINGS F/ RR SUSP FOR CREDIT ONLY	P	47-	29-
3841060	1ST PSHR LOC: 60" FROM C/L FWD RR/SING RR AXLE	P	0	0
N3840	DA-20-02275-001 7/2/2020 2:51:02 PM			
TIRES, WHEELS & RIMS				
4077406	FR BR M864 385/65R22.5 18PR AP ON/OFF HWY WIDEBASE	P	420-	121
4781796	PART: BR001073 FET: 56 STRBL PSHR: 2 BR R250ED 255/70R22.5 16PR AP	P	62-	37-
4278133	PART: BR255/70R225HR250ED FET: 38 RR BR L320 11R24.5 16PR	P	2,436	328
4900008	PART: BR11R245HL320 FET: 280 CODE-REAR TIRE QTY 08.			
5045218	FR WHL ALCOA 82462 22.5X12.25 AL HUB PIL, ADB COMPAT, LVL1	P	99-	2-
5781263	STRBL PSHR 2 ALCOA 88565 22.5X8.25 AL HUB PIL, SEVERE SVC, LVL1	P	601	35-
5854010	SING FR AXLE POL OUTBRD SURFACE OF WHLS	P	168	0
5854012	DUAL RR AXLE POL OUTBRD SURFACE OF OUTER WHLS (QTY 4)-2	P	419	0
5854031	1 PSHR POL OUTBRD SURFACE OF WHLS MTD SAME AS FR, STRBL OR NSTRBL	P	168	0
5245275	RR WHL ALCOA 98U63 24.5X8.25 AL ULTRA ONE WHL	P	1,512	132-
5900008	CODE-REAR RIM QTY 08.			
FRAME AND EQUIPMENT				
6056400	FRAME RAILS: 10-3/4 X 3/8" STL 285-336" SECTION MOD:17.80, RBM:2,132,000 LBS	P	343	0
6302461	BUMPER: TAPERED CHROME STL CHANNEL REQS BUMPER SETTING CODE	P	590	64
6319485	48.5 INCH BUMPER SETTING *REQS BUMPER CODE	P	0	0
6324025	FRONT TOW HOOK: CAST CENTER MTD C5 REQS STL,T8 REQS IRON FRT DRIVE BRKT	P	258	29
6390083	Custom Frame Layout Complete	U	0	0
6390086	VEHICLE LAYOUT SENT PENDING APPROVAL	U	0	0
6390312	IRON FRONT DRIVE BRACKETS	P	112	46
6391205	Custom Frame Layout: 5-9 chassis	P	200	0
6397001	HUCK BOLTS THROUGHOUT FRAME WHERE POSSIBLE, MAY NOT INCL SUSP C/M	P	307	0
6405000	BATT BOX: STL IN CAB, UNDER RIDER SEAT OR IN STAND ALONE BOX	P	1,804	9-

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
6409906	BATTERY BOX LOCATION: IN CAB UNDER RIDER SEAT	P	0	0
6451090	T470,C5,T6,T8 NON-POL DPF/SCR OR CNG DP COVER W/STEP. CAB ACCESS RH UNDER	P	0	0
6679817	2017 EPA Emissions Engine	U	0	0
6679859	FINAL EOF CUT-OFF DIMENSION WILL BE MODIFIED TO 56 IN TO 60 IN	P	0	0
6679995	***CUSTOMER WILL INSTL STRUCTURAL EOF CM BEFORE VEHICLE IS PLACED IN SERVICE*	P	0	0
6721102	RR MUDFLAP ARMS:BETTS B25 STD DUTY STRAIGHT (KIT INCL B1732 MTG BRKTS)	P	0	0
6722000	RR MUDFLAP SHIELDS:WHITE PLASTIC	P	0	0
6742009	KW LOGO, ANTISAIL SQUARE END OF FRAME: W/O C/M	P	0	0
FUEL TANKS AND EQUIPMENT				
7210110	FUEL TANK: 110 US GAL 24.5" AL UND RPL	P	192	2
7722011	DEF TANK: SMALL ROUND 11 GAL USABLE *2013 OR LATER	P	0	0
7812238	1 ADDT'L STD TANK SUPPORT F/1 TANK (NOT HVY DUTY 7" WIDE SUPPORT)	U	131	18
7813002	ADDT'L TANK SUPPORT LOC: LH UNDER	U	0	0
7831008	F/T STEPS: 6" WIDE LOWER*1 22" OR 24.5" TANK LH	P	62	2
7840015	POLISH ONLY: 1 ALUMINUM TANK	P	477	0
7840038	POLISHED COVER: 1 DEF TANK ANY SIZE	P	326	2
7889061	POL STRAPS: 1 TANK ANY SIZE	P	82	0
7889203	DEF TO FUEL FILL RATIO 2:1 OR GREATER	P	0	0
7889245	ANTI-SIPHON DEVICE F/TANK FILLER NECK	P	0	0
7889603	ANY NUMBER OF TANKS			
7920110	DEF TANK LOC: RH LOCATION LH UNDER CAB 110 GAL.	P	0	0
CAB AND EQUIPMENT				
8025301	CAB: Stamped Alum, Panoramic Curved Windshld, w/ LED Marker Lights, Signals	P	0	0
8090604	Hood: T880 Standard Length W/Mechan. Fastened Fenders. 122.6" BBC	P	351	15
8098212	Bright Engine Air Intake	P	107	0
8108002	Filter: Fine Particulate for HVAC cabin air in high dust applications.	P	126	0
8108011	Htr/Air Con w/defrst & auto temp ctrl *48K BTU/hr heater *Daycab/40in SLPR	P	0	0
8190138	Shutoff Vlvs to Isolate Primary Heater Remote mtd on frame und cab	P	56	0
8201013	STEERING WHEEL: 18" 4-SPK	P	0	0
8201051	COLUMN MTD RETARDER CTRL, RH SIDE	P	0	0
8201200	STRG COLUMN:ADJ TELESOPNG TILT*CODE F/18" STRG WHEEL*	P	0	0
8203184	SW/WRG: C/I CAB PANEL LTS	P	83	0
8203196	DASH MTD - COMPACT TRAILER BRAKE VALVE SELF RETURNING	P	0	0



CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8205012	DASH SW/LT: OFF-HIGHWAY SW FOR ABS SYS	P	55	0
8205038	Controls on dash for pintle hook.	P	49	2
8205082	Includes piping			
	Controls on dash for trailer air susp.	P	145	0
8205177	Includes piping and indicator light.			
8208495	DASH SWITCH:1ST ALLISON-MOUNTED PTO	P	216	0
8209999	SW: 2 SPARES WIRED TO POWER	P	66	0
	Spare pwr wiring F/ C/I devices bhd dash	P	93	2
8220106	(2)batt, (2)ign, (1)acc, (1)LVD, 20A ea			
8221137	GAU: AIR FILTER RESTRICTION DASH-MT	P	154	0
8221139	GAU: TRLR AIR APPLICATION	P	60	0
	GAU: 1 ADD AIR PRES W/ PPG DASH-MT	P	44	0
	*PPG TO BOC/BOS*			
8221160	GAU: OIL TEMP ENG W/INTEGRAL WARN LT	P	40	0
8222712	GAU: FUEL FILTER RESTRICTION	P	135	0
8222722	GAU: MANIFOLD PRESS	P	31	0
8222794	GAU: HOUR METER F/PTO DASH MT	P	76	0
8224444	GAU CLOCK: ANALOG ELECTRONIC CLOCK*	P	76	0
	DASH MTD			
8225658	GAU:AXLE OIL TEMP DUAL DR AXLE(2 GAU)	P	215	0
	W/INTEGRAL WARN LT			
8282007	Kenworth Driver Performance Center: 5in	P	0	0
	Full Color Active Matrix Info Display			
8282013	Kenworth Instrumentation & Control Pkg	P	0	0
	*w/ 9 Std. Easy Read Gauges			
8291002	SW: FOR BACKUP ALARM MUTE W/BUZZER	P	195	0
8300008	Interior color: Slate Gray	P	0	0
8330102	INTERIOR PACKAGE: VANTAGE DAYCAB	P	0	0
8390634	Floormat: Rubber material	P	0	0
8410270	DR Seat: KW GT702 HB w/ DuraSupreme	P	241	11
	Material, Air-Ride Susp.			
8480106	RD SEAT:KW GT100 HB BATTERY/UTILITY BOX	P	144-	9
	SEAT WITH DURASUPREME MATERIAL			
8490181	SEAT COLOR: BLACK	P	0	0
8497005	AIR LINE FITTING @ DR SEAT FOR C/I AIR	P	62	4
	CHUCK*N/A W/8700042*			
8601432	KENWORTH RADIO DEA710 AM/FM/WB/USB,	P	490	0
	BLUETOOTH			
8601880	CB RADIO: COBRA 29 *INCL WEATHERBAND*	P	576	11
	HI MT IN HDR W/HDR MTD QUICK RELEASE			
8698982	SPKRS: Mid Level Audio System- Daycab:	P	169	4
	High Performance Door and B-Pillar			
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER	P	0	0
	INCL INTERMITTENT WIPER CONTROL			
8700283	LH & RH TRIP LEDGE RAIN DEFLECTORS	P	0	0
8700406	Stainless steel permit panel on cab	P	108	0
	*driver side only*			
8700663	Kenworth TruckTech+	P	0	0
	Formerly Remote Diagnostics			
8800260	GRABHANDLE: 1 LONG RH mtd SOC exhaust	P	66	2
8800262	GRABHANDLE: 1 LONG LH mtd SOC exhaust	P	57	2

KENWORTH  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 1NKZX4EX5MJ457272  
UNIT TYPE 2 OF FLEET 457272 THRU 457276

PAGE 008  
AS OF 08/31/20

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8800402	Grabhandles: Dual cab-interior,A-pillar mtd dash wrap & B-pillar mtd handles	P	0	0
8832113	Daylite Door: KW w/ Std LH/RH elec door locks and LH/RH elec window controls	P	0	0
8841618	AIR HORN: DUAL RECT 23" LH/RH ROOF INCL AIR HORN COVERS	P	245	4
8850139	Look-down, pass. door, Black 11x6	P	0	0
8865003	MIRR: DUAL KW AERO MOTOR HTD 7"X13"	P	353	0
8871446	CHROME SHELL-ARMS BLK W/ 6"X7" CX MIRR RR CAB Window: fixed 19"X36"	P	0	0
8890038	NOT AVAILABLE W/SLEEPER 3.5 X 11.5IN PLASTIC RECORD HLDR MTD RR CAB PANEL*N/A W/SLPR OR 2 PERSON BENCH	P	64	0
8890101	Windshield: 1-pc bonded-in w/ curved glass	P	0	0
8890135	SUNVISOR:EXTERIOR STAINLESS STEEL	P	945	20
8890300	FENDER CLOSE-OUT BELOW HEADLAMP	P	218	0
8890349	BEHIND BUMPER *NOT W/ 3-PC BUMPER	P	0	0
8890876	Wheelwell FNDR Extension: 2.5"	P	0	0
	Kenworth cab/sleeper air suspension	P	0	0
LIGHTS AND SIGNALS				
9010553	Headlamps: SAE Dual Halogen Complex Reflector	P	0	0
9022137	MARKER: 5 RECTANGULAR LED	P	0	0
9030016	Turn Signal Lights: Flush MTD LED MTD at top of fender wheel arc.	P	0	0
9030052	LED STOP/TURN/TAIL: WITH 2 LED B/U LIGHTS AND W/ LED LICENSE PLATE	P	0	0
9052008	FLOODLIGHTS: DUAL LED FLUSH 1ST SET	P	196	0
9059921	1ST SET LOC: LOW F/DUAL (LH IF SINGLE)	P	0	0
9080206	Switch and Wiring:C/I Beacon Lights W/ Addt'l 20' Jumper Harness Shipped Loose	P	239	0
9090039	INTERRUPTER SWITCH FOR MARKER LTS	P	0	0
9090049	B-CAB:INCL IN TURN SIGNAL;T3 IN DASH	P	0	0
9090126	Omit Brake Light W/ Engine Brake	P	160	4
9090302	BACKUP ALARM: ELECTRIC	P	161	0
9090316	JUNCTION BOX-FRAME MTD BEHIND CAB/SLPR	P	255	0
9090849	*TO BE MTD BOC/BOS - NOT AT EOF* JUNCTION BOX: END OF FRAME	P	48	0
	Polyswitches repl fuses Switch will auto reset after removal of excess load	P		
AIR EQUIPMENT				
9101235	Air Dryer: Bendix AD-IS Extended Purge HTD with Puraguard	P	168	4
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0	0
9110020	FULL TRUCK KIT	P	1,010	15
9140020	NYLON AIR TUBING: FRAME/CAB	P	0	0
9140085	BENDIX LQ-5 RATIO VLV F/KW INSTLD PSHR/ TAG OR F/CI PSHR/TAG W/SPEC AIR SYSTEM	P	296	2



KENWORTH  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 1NKZX4EX5MJ457272  
UNIT TYPE 2 OF FLEET 457272 THRU 457276

PAGE 009  
AS OF 08/31/20

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
9140254	Locate air dryer inside RH rail BOC. (Req custom frame L/O code)	P	0	0
9140286	AIR TANKS CLEAR OF LEFT SIDE TRANS AREA (Req custom frame L/O code)	P	0	0
9140328	TRAILER ABS ELECT SUPPLY THRU SAE J560 7 PIN CONNECTOR (PER TMC RP137)	P	0	0
N9120	CFL A/D:MT INSIDE RH RAIL BOC			
9290175	ORDER REVIEWED BY APPLICATIONS TECH: Mollie.Spires@paccar.com 740-774-5487	U	0	0
9409852	SPECIAL EQUIPMENT GHG Secondary Manufacturer: Does Not Apply	P	0	0
9490003	OFF HIGHWAY/SPECIALTY COMPONENT TRUCK ADDITIONAL LEADTIME REQUIRED	P	0	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	48	4
9490408	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD INBOARD OF RD. SEAT. Class ABC.	P	141	11
9491665	CECU/VECU ELECTRONICS ARCHITECTURE	P	0	0
9700000	PAINT COLOR NUMBER PAINT COLOR NUMBER(S)	P	0	0
N9702	A - L0006EY WHITE			
N9720	FRAME N0001EA BLACK			
9800001	NOTES ***NOTE:REQUESTS PRECEDED BY N98XX ARE DISAPPROVED-OAR GRP #425-828-5245	U	0	0
N9801	7812238 OAR			
N9802	7813002 OAR			
9943004	PAINT BUMPER UNPAINTED	P	0	0
9943050	Day Cab Standard Paint	P	0	0
9944820	1 Color Paint Day Cab White If No Color Specified	P	0	0
9959938	SCHEDULING CODE 2020 CUMMINS X15	U	0	0
9960006	***PAINT SKETCH VERIFIED***	U	0	0
9965510	PAINT:BASE COAT/CLEAR COAT*REQS PAINT EXTERIOR & PAINT COLOR L SERIES CODES*	P	0	0
N9994	EMAIL: RBARRY@PAPEKWNW.COM			
N9995	CELL PHONE:			
N9996	SALESPERSON ID: MONIQUE RIZZO			
N9997	DEALER CONTACT			
N9998	NAME: RICK BARRY PH:253-536-8800			
N9999	JMS 07/02/20 OC008			

KENWORTH  
VMXXR036-1

CHASSIS FINAL BILL  
FOR VIN 1NKZX4EX5MJ457272  
OF FLEET 457272 THRU 457276

PAGE 010  
AS OF 08/31/20

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
----	-----	----	-----	-----
	** TOTAL ESTIMATED WEIGHT			17,625
	TOTAL LIST PRICE		280,625	
	BELOW CHARGES NOT INCLUDED IN TOTAL LIST PRICE			
9510480	- 2020 2H TC550 PROGRAM TRACKING CODE		0	
	ADJUSTED LIST PRICE		280,625	
	PROMOTION PROGRAM CODE 0000721 @ 0.00 %			
TC550	TC550 2H2020 SALES PROGRAM US- ISX		0	
	SURCHARGE/OPTIONS NO DISC			
9210261	- 2020 Class 8 Sales Program		4,000-	
	\$4000 Net Credit			
	TOTAL SURCHARGE/OPTIONS NOT SUBJECT TO DISC		4,000-	
	OPTIONAL EXT WTY & PRV MNT			
9200021	- BASE WARR: STANDARD SERVICE HEAVY DUTY		0	
	12 MONTHS/100K MI/160K KM			
	TOTAL OPTIONAL EXT WTY & PRV MNT		0	
	TOTAL TIRE FET INCLUDED -- AS PRODUCED		374	
	MARKETING AND SERVICE SUPPORT FEE		740	

\*\* WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE  
UNPUBLISHED OPTIONS. ACTUAL "SHIPPING" WEIGHT MAY VARY.

SHIP CD : ISD0001  
DLR/BUS : NONE  
ADDRESS1 :  
ADDRESS2 :  
CITY :  
CONTACT : ISD0001-none ST: ZIP/PSTL:  
PH :  
CTRY :  
SHIP CD : FNLDEST  
DLR/BUS : P410  
ADDRESS1 : 20220 INTERNATIONAL BLVD.  
ADDRESS2 :  
CITY : SEATAC ST: WA ZIP/PSTL: 98198  
CONTACT : Rick Barry  
PH : 555 555-5555  
CTRY :

KENWORTH  
VMKXR036-1

CHASSIS FINAL BILL  
FOR VIN 1NKZK4EX5MJ457272  
OF FLEET 457272 THRU 457276

PAGE 003  
AS OF 08/31/20

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1002080	Air comp: Cummins 18.7 CFM, Naturally Aspirated for X15 engines	P	0	0
1051200	Air Cleaner: composite firewall mounted PACCAR or Cummins engines	P	0	0
1099080	PRE-CLEANER: MTD IN THE HOOD PLENUM	P	338	0
1105220	Fan Hub: Horton 2-Speed for X15	P	103-	0
1123555	COOLING MODULE: 1330 SQIN	P	0	0
1160208	BUGSCREEN MTD BETWEEN HOOD AND GRILL SEMI RIGID, NON-REM	P	122	2
1247179	EXH: 2017 EPA RH UND CAB DPF/SCR W/ DUAL SOC TPs F/ DAYCAB, EXT DAYCAB, MOD SLPR	P	1,630	161
1290224	Tailpipe: 5" Dual 24" 45 Deg Curved	P	142-	7-
1292944	Dual Lower Chrome Exhaust Elbow	P	657	0
1321110	Fuel Filter: PACCAR Ext. Serv. Interval Fuel/Water Separator, 2017 and Later	P	43	0
1321205	Run Aid: Fuel Heat	P	0	0
1321300	*For Fuel Filter			
1321300	Start Aid: None	P	0	0
1321300	*For Fuel Filter			
1500029	Kenworth Fuel Cooler	P	222	7
1504005	See Extended Prospector Desc. for Usage IMMERSION ENG BLOCK HTR: 110-120V/1500W	P	136	2
1816260	PLUG LOC UNDER DOOR C5, T6, T8 & W9			
1821275	Alternator: PACCAR 160 amp, brush type	P	0	0
1821275	BATT: 3 AGM GP31 THR (925) 2775 CCA.	P	316	0
1836103	Fort 680 & T880 in cab battery box only.			
1840065	PACCAR PREMIUM 12V STARTER W/ X15 ENGS	P	84	0
1840065	12V LOW VOLTAGE DISCONNECT FOR STARTER	P	0	0
1900996	BATTERY PROTECTION			
1901017	JUMP START TERMINALS MTD UNDER HOOD	P	212	11
1901017	REMOTE PTO/THROTTLE, 12-PIN, ENG BAY	P	0	0
1901017	REMOTE CONTROL PROVISION			
MAIN TRANSMISSION AND CLUTCH				
2016158	TRANS: ALLISON 4500RDS 6 SPD GEN 5, W/PTO W/O RETARDER	P	25,288	280
N2060	SCAAN 108714 7/2/2020 12:49:56 PM			
2406453	D/L: 2 DANA SPL250XL W/ 1 CB	P	1,026	84
2410018	REQ 3500057 W/ TANDEM			
2410018	TORQUE CONVERTER INCLD W/ ALLISON TRANS	P	0	0
2410019	TRANSMISSION APPROVAL RECEIVED, SEE NAR	U	0	0
2410154	NARRATIVE N2060 FOR RECEIVAL DATE Allison lever control, cntr console MTD Gen 5	P	392	0
2410204	Delete Allison Fuel Sense	P	0	0
2410426	ALLISON GEN 5 RDS PACKAGE 223	U	0	0
2410571	FOR 3000, 3500, 4000, 4500, 4700 TRANS TORQUE CONVERTER: TC571 F/4000 SERIES	U	0	0
2429358	USE WITH HD, 4000 & 4500 EYS, HS & RDS			
2429358	Trans PTO Rear Trans Supt Spring(s)	P	92	0
2429378	C/I 1st Allison Trans PTO? 8 OClock POS	P	0	0
2429378	Allison 3000/4000			



**KENWORTH TRUCK COMPANY**  
**LIMITED WARRANTY AGREEMENT**  
**Class 8 Standard Service (On-Highway) Warranty**  
**UNITED STATES**

**THIS LIMITED WARRANTY AGREEMENT ("AGREEMENT") LISTS THE RESPECTIVE RIGHTS AND RESPONSIBILITIES OF YOU AND KENWORTH TRUCK COMPANY ("KENWORTH"). PLEASE READ THIS LIMITED WARRANTY CAREFULLY.**

Kenworth warrants directly to you that the Kenworth vehicle ("Vehicle") identified below will be free from defects in materials and factory workmanship ("Warrantable Failures") appearing under normal commercial use and service during the time or mileage limitations set forth in the attached Warranty Schedule (dated 11/09). The Vehicle warranty extends only to you, the First Purchaser.

**YOUR SOLE AND EXCLUSIVE REMEDY AGAINST KENWORTH ARISING FROM YOUR PURCHASE AND USE OF THIS VEHICLE IS LIMITED TO THE REPAIR OR REPLACEMENT OF "WARRANTABLE FAILURES" AT AUTHORIZED UNITED STATES AND CANADIAN KENWORTH DEALERS, SUBJECT TO KENWORTH'S TIME AND MILEAGE LIMITATIONS LISTED IN THE ATTACHED VEHICLE ONLY WARRANTY SCHEDULE.** The maximum time and mileage limitations in the Warranty Schedule begin on the Date of Delivery to the First Purchaser, as shown below. The accrued time and mileage is calculated when this Vehicle is brought into an Authorized Dealer for correction of Warrantable Failures.

**WARRANTY DISCLAIMER AND LIMITATIONS OF LIABILITY**

This limited warranty is the sole warranty made by Kenworth. Except for the above limited warranty, Kenworth makes no other warranties, express or implied. KENWORTH EXPRESSLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IT IS AGREED THAT KENWORTH SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO: LOSS OF INCOME OR LOST PROFITS; VEHICLE DOWNTIME; THIRD PARTY DAMAGE, INCLUDING DAMAGE OR LOSS TO OTHER VEHICLES OR PROPERTY, ATTACHMENTS, TRAILERS AND CARGO; LOSS OR DAMAGE TO PERSONAL CONTENTS; COMMUNICATION EXPENSES; LODGING AND/OR MEAL EXPENSES; FINES; APPLICABLE TAXES OR BUSINESS COSTS OR LOSSES; ATTORNEY'S FEES; AND ANY LIABILITY YOU MAY HAVE IN RESPECT TO ANY OTHER PERSON OR ENTITY.

The following components may be warranted directly to you by their respective manufacturers and are NOT warranted by Kenworth: engine and engine accessories, Allison automatic transmission, fifth wheel, tires, wheels and rims, tubes, pintle hook, hitch, batteries not listed in the Vehicle Schedule, refrigerator, trade accessories (such as fire extinguishers, chains, emergency kits, and tools), customer-furnished components installed by the Kenworth factory, and items not installed by the Kenworth factory at the time of the Vehicle's manufacture.

Kenworth does not warrant antifreeze, lubricants, bulbs, fuses, filters, mud-flaps, winter front, wiper nozzles, wiper blades, filter elements, or any other part which is considered a maintenance item.

You are responsible for the safe operation and maintenance of the Vehicle, as specified in the applicable Operator's Manuals. You are responsible for providing proof that all recommended inspections and maintenance have been performed. Before the expiration of the applicable warranty, you must notify an Authorized Dealer of any Warrantable Failures and make the Vehicle available for repair by such Authorized Dealer. You are responsible for delivery of the Vehicle to the Authorized Dealer. Locations in the United States and Canada of authorized Kenworth dealers may be found on [WWW.KENWORTH.COM](http://WWW.KENWORTH.COM).

KENWORTH IS NOT RESPONSIBLE FOR WEAR AND TEAR OR WEAROUT OF COVERED PARTS, storage deterioration, or changes in adjustment resulting from your use of the Vehicle. This includes, but is not limited to, wear or damage to brake and clutch linings, clutch brake, belts, upholstery, wheel balancing or axle alignment. This list is offered as an example only and shall not be construed as all inclusive.

Kenworth does not warrant metallic chassis (frame) paint. Kenworth is not responsible for paint chipping or fading, peeling paint from frame bolts relating to maintenance, paint peeling from road chemical or salt damage, or corrosion caused by damage to a cab, hood, or sleeper panel or to finish paint.

Damage due to accident, misuse, abuse, neglect, negligence, improper or insufficient maintenance, or unauthorized modification is not warranted.

All warranties are null and void should a Vehicle be converted to a motor coach, motor home, or recreational vehicle.

Vibrations, squeaks, and unusual noises, rattles, loose nuts/bolts can develop during the early use of the vehicle. Kenworth will make the necessary adjustments under warranty up to the earlier of the first 25,000 miles or the first 90 days after the Date of Delivery.

Parts used to repair a Warrantable Failure may be new parts, approved remanufactured parts, or repaired parts. Kenworth is not responsible for failures resulting from the use of parts not approved by Kenworth. A new or approved remanufactured part used to repair a Warrantable Failure assumes the identity of the part it has replaced and is entitled to the remaining warranty coverage, if any.

**Vehicle Telematics Subscription.** Your Kenworth vehicle may include an activated subscription service that records and sends diagnostic and system data from your vehicle to Kenworth and selected suppliers and service providers for the purpose of assuring that your vehicle is operating properly, and to permit us to communicate with you regarding Vehicle Information. The Vehicle Information that we collect will also help us improve our vehicles in the future, and enable us to locate your vehicle under certain limited circumstances. Kenworth and its suppliers and service providers have implemented information and data security controls to safeguard the Vehicle Information we collect. By using the subscription services, you consent to the collection and use of the Vehicle Information in the manner described by Kenworth and its suppliers and service providers. If you choose not to allow Kenworth access to your data, you may suspend your subscription by contacting an authorized PACCAR dealer.

Kenworth is not responsible for towing or roadside assistance should there be a defect in the Vehicle. Kenworth is not responsible for damage or loss resulting from engine horsepower/torque upgrades.

Kenworth reserves the right to inspect and download data from the Vehicle and Engine Electronic Control Modules (ECM) for purposes of failure analysis.

**TIME LIMIT ON COMMENCING LEGAL ACTION / OTHER TERMS**

It is agreed that you have 12 months from the accrual of the cause of action to commence any legal action arising from the purchase or use of the Vehicle, or be barred forever.

To the extent any provision of this limited warranty is found to contravene the law of any jurisdiction, the remainder of the warranty shall not be affected thereby.

Customer Initials

