PUBLIC ONLINE AUCTION

COLUMBIA CEDAR



Surplus Mill Equipment Columbia Cedar Start Date: 11:00 AM | Wednesday - April 21

End Date: 11:00 AM | Wednesday - April 28

Preview 8:00 AM to 4:00 PM | Tuesday, April 27th

Locations: 24419 US 395, Kettle Falls, WA 99141 & 643 S. Hwy 395, Arden, WA







(2) AMERICAN WOOD DRYER 32' X 44' STEAM FIRED DOUBLE TRACK KILNS



2008 HEMCO 16' 45-BAY SLING SORTER



AMERICAN AIR FILTER PULSE JET BAGHOUSE DUST COLLECTOR



12' 5-ARM X 54" HYDRAULIC OPERATED TILT HOIST



LETOURNEAU 2594S



2008 PETERBILT 386

NO MINIMUMS - NO RESERVES

RESAWS

2007 SOFTAC (FLARE) LINEAL POSITIONED BACK TO BACK HORIZONTAL TWIN BAND RESAW, 36" THROAT, 24" HEIGHT (DESIGNED FOR CEDAR), TOSHIBA 125 HP/1,765 RPM MOTOR, 27" HYDRAULIC FEED THRU SLAT CHAIN (THIS SAW IS SUPPORTED BY WEST COAST INDUSTRIAL SYSTEMS, INC. NOT INSTALLED, LOCATED IN ARDEN, WA), S/N: 4243

UNKNOW MFG. 54" HORIZONTAL BAND RESAW W/HYDRAULIC STRAIN, TILTING BED, FEED THRU ROLLS & AIR HOLD DOWN ROLLS, (18) 29'-1-1/2" X 6" X .049", (8) 24'-4-1/2" X 6" X .049" & (16) 24'-4" X 6" X .042" SPARE BANDSAWS (NOT INSTALLED, LOCATED IN KETTLE FALLS, WA)

SORTER

2008 HEMCO 16' 45-BAY SLING SORTER, 4"-12" X 8'-16' CAPACITIES, PUSH LUG 4-STRAND FEED THRU TRANSFER W/GE 60 HP MOTOR TO REX NEPTUNE REDUCER W/ALLEN BRADLEY PF753 75 HP VFD, (6) ALLEN BRADLEY PANELVIEW 5310 REMOTE TOUCHSCREEN STATIONS & (24) MANUAL REMOTED STATIONS, (2) 70' 5-STRAND 81X & (1) 24' 5-STRAND 81X TAKE AWAY TRANSFERS, S-DRIVE W/5 HP MOTORS TO REX VENUS REDUCERS, ALLEN BRADLEY SLC500 FIELD PLC, 50 HP HYDRAULIC UNIT, APPROX. 19' 7-STRAND 81X LUGGED INFEED TRANSFER W/(7) 14' EVEN END ROLLS, APPROX. 26' 5-STRAND 90-DEGREE ENGINEERED CORNER, APPROX. 20' 5-STRAND 81X LUGGED I NFEED TRANSFER, APPROX. 28'-32'W X APPROX. 205'L X ASSORTED HEIGHT ALL STEEL SORTER BUILDING (THESE ITEMS CANNOT BE REMOVED UNTIL JULY 1, 2021. LOCATED IN KETTLE FALLS, WA)

STACKER

GILLINGHAM BEST 16' HYDRAULIC MECHANICAL OPERATED LUMBER STACKER W/GILLINGHAM BEST AUTO STICK PLACER, CARRIAGE FORKS, RAKE OFFS, (11) LUMBER STACKING ARMS, HOLD BACK ARMS, 5-ARM X 48" LUMBER LOWERING HOIST W/APPROX. 20 HP HYDRAULIC UNIT, INFEED TRANSFERS W/EVEN END ROLLCASE & BELT, 18' 5-STRAND H78 OUTFEED TRANSFER, S-DRIVE W/SKK GEARHEAD MOTOR, APPROX. 13' 10-STRAND UNSCRAMBLER W/GEARHEAD MOTOR, APPROX. 20' POWERED RE-ENTRY ROLLCASE W/(8) 9"X60" ROLLS W/SKK 5 HP/20 RPM GEARHEAD MOTOR W/APPROX. 9' 6-STRAND 81X TRANSFER W/MOTOR TO SKK REDUCER, APPROX. 18"X24' & 18"X14' CLEAN OUT BELTS TO APPROX. 24'-6"X11" BOX CHAIN CLEAN OUT CONVEYOR W/SKK GEARHEAD MOTOR, APPROX. 36"X72" AIR RECEIVER TANK, SUPPORT ELECTRONICS INCLUDE: WESTINGHOUSE 5 STAR 7-SECTION MCC W/(26) SWITCHES, COMPACT LOGIX L32E PLC W/(7) MODULES, TOSHIBA G9 40 HP ADJUSTABLE SPEED DRIVE, (2) ALLEN BRADLEY PF700 7-1/2 HP VFD'S W/SMC (THESE ITEMS CANNOT BE REMOVED UNTIL JULY 1, 2021. LOCATED IN KETTLE FALLS, WA)

PLANER EQUIPMENT

STETSON ROSS 6-12A1 PLANER MATCHER, 6-HEADS, 8"X15" CAPACITY, (60+/-) 6 & 12-KNIFE HEADS, 80 HP TOP HEAD, 50 HP BOTTOM HEAD, 40 HP LEFT SIDE HEAD, 25 HP RIGHT SIDE HEAD, 40 HP TOP & 25 HP BOTTOM PROFILE HEADS, (14) PROFILE STANDS, JOINTER BAR, SPARE MOTORS & STATORS, (8) PALLETS OF SPARE PARTS (NOT INSTALLED, LOCATED IN KETTLE FALLS, WA), S/N: 2884

2013 MOCO STICKER RECOVERY SYSTEM W/APPROX. 8' 2-STRAND STICKER UNSCRAMBLER, APPROX. 12' 2-STRAND STICKER TRANSFER, APPROX. 26' 2-STRAND STICKER CART TRANSFER, ALL DRIVES & ELECTRICS (NOT INSTALLED. LOCATED IN KETTLE FALLS. WA)

2018 WAGNER OMEGA IN-LINE MOISTURE MEASURING SYSTEM W/(3) 21870 18" SIDEWAYS SENSORS (NOT INSTALLED, LOCATED IN KETTLE FALLS, WA)

12' 5-ARM X 54" HYDRAULIC OPERATED TILT HOIST (NOT INSTALLED, LOCATED IN ARDEN, WA)

KILNS-BOILER-COOLING SHED

(2) AMERICAN WOOD DRYER 32'X44' STEAM FIRED DOUBLE TRACK KILNS, BOLT TOGETHER ALUMINUM CONSTRUCTION W/10'X19' DOORS, (8) INDIVIDUALLY MOTORIZED FANS, (1) KILN W/VFD'S, SHARED WAGNER MC4000 MOISTURE MEASURING SYSTEM W/INDIVIDUAL CONTROLLERS (LOCATED IN KETTLE FALLS, WA)

1992 BRYAN FLEXIBLE TUBE RV450-S-15FDLPG 15 PSI GAS FIRED BOILER, S/N:92906, 5,600 MBH OUTPUT, 4,500/2,500 MBH INPUT, 544 SQ. FT. HEATING SURFACE, BRYAN HFS-15-163-130S BOILER FEED WATER SYSTEM, 130 GALLON TANK, S/N:920917 (LOCATED IN KETTLE FALLS, WA)

APPROX. 22'H X 32'W X 115'L & APPROX. 22'H X 32'W X 57'L COOLING SHED (LOCATED IN KETTLE FALLS, WA)

PACKAGING EQUIPMENT

2010 PREMIER TECH HVS400 HORIZONTAL FORM, FILL & SEAL BALER (NOT INSTALLED, LOCATED IN ARDEN. WA)

2000 VERVILLE VP438S 4-STATION COMPRESSION SHAVINGS BAGGER, AUTO SEALER, 118" TUBES, APPROX. 11"X17"X40" BAGS, 30 HP HYDRAULIC UNIT, TOUCHSCREEN CONTROLS, APPROX. 16"X20' INFEED SCREW AUGER (FROM SCREEN) W/SEW 5 HP/27 RPM GEARHEAD MOTOR, MAX 3W020-36 2,000 LB. CAPACITY, 42"X28" HYDRAULIC OPERATED SCISSOR LIFT (LOCATED IN KETTLE FALLS, WA), S/N: PR0217

2000 VERVILLE VT-705-11 TROMMEL SCREEN, APPROX. 4-1/2' DRUM SCREEN W/1/4" HOLE PUNCH PLATE SCREEN, GEARHEAD SCREEN DRIVE, APPROX. 8' DUAL SCREW INFEED AUGERS, BOTTOM SCREW OUTFEED AUGER, DUST REMOVAL FAN (LOCATED IN KETTLE FALLS, WA), S/N: EQ-0185

SHAVING BIN-CYCLONES

APPROX. 30-UNIT HYDRAULIC OPERATED SHAVINGS BIN W/5 HP HYDRAULIC UNIT (LOCATED IN KETTLE FALLS, WA)

APPROX. 8' DIA. LONG NECK CYCLONE W/DONALDSON/TORIT APPROX. 20" ROTARY VALVE W/3/4 HP GEARHEAD MOTOR, BINDICATOR, STAND (LOCATED IN KETTLE FALLS, WA)

APPROX. 6' DIA. CYCLONE W/DONALDSON/TORIT 12AN ROTARY VALVE W/3/4 HP GEARHEAD MOTOR, STAND, APPROX. 4' CYCLONE (NOT INSTALLED, LOCATED IN KETTLE FALLS, WA)



2004 KENWORTH T800B



GILLINGHAM BEST 16' HYDRAULIC MECHANICAL OPERATED LUMBER STACKER



2000 VERVILLE VP438S 4-STATION COMPRESSION SHAVING BAGGER



WESTINGHOUSE 5 STAR 7-SECTION MCC

KETTLE FALLS, WA

BAGHOUSE

AMERICAN AIR FILTER PULSE JET BAGHOUSE DUST COLLECTOR, APPROX. 8'X10'X14', APPROX. (160)

SPARE 7-7/8"FL X 145"OAL BAGS W/SNAP BANDS, (12) GOYA BGA AIR SOLENOIDS, 9"X12' BOTTOM

AUGER, AAF TYPE K, SIZE 20 FAN W/TOSHIBA 125 HP/1,785 RPM MOTOR, APPROX. 16" FAN W/3 HP

MOTOR, 8"X & 32" BLOWPIPE (LOCATED IN KETTLE FALLS, WA), S/N: 1780210

COMPRESSOR-DRYER-AIR RECEIVERS

2005 ROGERS MC-100 ROTARY SCREW AIR COMPRESSOR W/20 HP MOTOR, APPROX. 100 SCFM (LOCATED IN KETTLE FALLS, WA), HOUR METER READS: 61,271, S/N: 050385

PNEUMATECH EH-100 HEATLESS REGENERATIVE DRYER, 150 PSIG, 100 SCFM, DUAL TOWER (LOCATED IN KETTLE FALLS, WA), S/N: 987156

2005 MANCHESTER 240 GALLON AIR RECEIVER, 200 PSI (LOCATED IN KETTLE FALLS, WA) APPROX. 24"X60" AIR RECEIVER (LOCATED IN KETTLE FALLS, WA)

APPROX. 36"X72" AIR RECEIVER (THIS ITEM CANNOT BE REMOVED UNTIL JULY 1, 2021. LOCATED IN KETTLE FALLS, WA)

CONVEYORS & AUGERS

DYNAMIC ACTION CO. 18"X26' VIBRATORY CONVEYOR, 3/4" STROKE, 475 RPM (LOCATED IN ARDEN, WA), S/N: 61112-1

APPROX. 60' 81XHD CHAIN CONVEYOR W/11' POLY FLITES W/WEG 7-1/2 HP MOTOR TO REX MARS 36.56:1 RATIO REDUCER (LOCATED IN KETTLE FALLS, WA)

APPROX. 24' 6"X11-1/2" BOX CHAIN CLEAN OUT CONVEYOR W/SKK GEARHEAD MOTOR (LOCATED IN KETTLE FALLS, WA)

APPROX. 18"X24' CLEAN OUT BELT CONVEYOR W/MOTOR TO FALK SQUARE BOX REDUCER (THIS ITEM CANNOT BE REMOVED UNTIL JULY 1, 2021. LOCATED IN KETTLE FALLS, WA)

APPROX. 18"X14' CLEAN OUT BELT CONVEYOR W/MOTOR SHAFT MOUNTED REDUCER (THIS ITEM CANNOT BE REMOVED UNTIL JULY 1, 2021. LOCATED IN KETTLE FALLS, WA)

RODAIR 24"X30' SCREW AUGER W/15 HP MOTOR TO SEW EURODRIVE 65.20:1 RATIO REDUCER (NOT INSTALLED, LOCATED IN ARDEN, WA), S/N: 10-F-7564

APPROX. 16"X18' TRIPLE SCREW MAIN AUGER W/(3) 7-1/2 HP MOTOR TO SEW 65.06:1 REDUCERS (LOCATED IN KETTLE FALLS, WA)

15' 2-STRAND H138 PORTABLE TRANSFER W/MOTOR TO REDUCER (NOT INSTALLED, LOCATED IN ARDEN, WA)

ELECTRICS

WESTINGHOUSE 5 STAR 7-SECTION MCC W/(26) SWITCHES (THIS ITEM CANNOT BE REMOVED UNTIL JULY 1, 2021)

WESTINGHOUSE 5 STAR 3-SECTION MCC W/(15) SWITCHES

ALLEN BRADLEY POWERFLEX 753 75 HP VFD (THIS ITEM CANNOT BE REMOVED UNTIL JULY 1, 2021) TOSHIBA G9 40 HP ADJUSTABLE SPEED DRIVE (THIS ITEM CANNOT BE REMOVED UNTIL JULY 1, 2021) (4) 2017 ALLEN BRADLEY PF525 10 HP VFD'S W/ALLEN BRADLEY MICROLOGIX 1000 PLC

(2) ALLEN BRADLEY POWERFLEX 700 7-1/2 HP VFD'S (THIS ITEM CANNOT BE REMOVED UNTIL JULY 1, 2021)

MOTOR CONTROL PANEL W/ALLEN BRADLEY SMC PLUS 150A180NBD & YASKAWA V1000 DRIVES KOYO DIRECT LOGIC 205 PLC W/DL250CPU & (5) MODULES

COMPACT LOGIX L32E PLC W/(7) MODULES

ALLEN BRADLEY SLC 500 PLC W/(7) MODULES

MISCELLANEOUS MACHINERY

SHANKLIN T-6XLC & SEAL-A-TRON SHRINK TUNNELS; SHANKLIN 8243 & 5246L SEALERS; WAGNER L722 STACK PROBE W/L622 METER; (4) BANDING CARTS; SPARE GEARHEAD MOTORS; REDUCERS; SPROCKETS; CYLINDERS; DRILL PRESS; ASSORTED CARTS (LOCATED IN KETTLE FALLS, WA)



2000 PEERLESS
TANDEM AXLE 53' LIVE BOTTOM CHIP TRAILER



2002 FRUEHAUF



1998 WABASH

TERMS & CONDITIONS

13% BUYERS PREMIUM ON ALL PURCHASES - PAYMENT: FULL PAYMENT MUST BE MADE BY 5 PM, APRIL 28TH. REMOVAL: ALL ITEMS MUST BE REMOVED NO LATER THAN 4:00 PM, MAY 28TH. REMOVAL HOURS: 8:00 AM – 4:00 PM, NO WEEKEND REMOVAL. WARRANTY DISCLAIMER: ALL SALES ARE FINAL. ALL ITEMS ARE BEING SOLD "AS IS, WHERE IS," WITH ALL FAULTS AND WITHOUT ANY WARRANTIES AS TO MERCHANTABILITY. COMPLETE TERMS AND CONDITIONS OF SALE WILL BE AVAILABLE AT THE TIME OF SALE.



APPROX. 22'H X 32'W X 115'L & APPROX. 22'H X 32'W X 57' L COOLING SHED

ROLLING STOCK

2015 KENWORTH T880 TANDEM AXLE TRACTOR W/PACCAR DIESEL ENGINE, REBUILT EATON 16-SPEED TRANSMISSION AT 150,427 MILES, WET KIT, PTO, PROTECH ALUMINUM HEADACHE RACK, ALUMINUM STACKS, DUAL ALUMINUM FUEL TANKS W/STEPS, 10-HOLE ALUMINUM WHEELS, 255/R22.5 TIRES (LOCATED IN ARDEN, WA), ODOMETER READS: 169,267, S/N: 1XKZPPOXXFJ423104

2008 PETERBILT 386 TANDEM AXLE TRACTOR W/CUMMINS ISX DIESEL ENGINE, EATON 18-SPEED TRANSMISSION, WET KIT, PTO, PROTECH ALUMINUM HEADACHE RACK, ALUMINUM STACKS, ALUMINUM FUEL TANK, 10-HOLE ALUMINUM WHEELS, 255/R22.5 TIRES (LOCATED IN ARDEN, WA), ODOMETER READS: 447,266, S/N: 1XPHD49XX8D758672

2004 KENWORTH T800B TANDEM AXLE TRACTOR, CAT C15
475 DIESEL ENGINE, EATON 15-SPEED TRANSMISSION, WET
KIT, PTO, PROTECH ALUMINUM HEADACHE RACK,
ALUMINUM STACKS, DUAL ALUMINUM FUEL TANKS
W/STEPS, 10-HOLE ALUMINUM WHEELS (LOCATED IN
ARDEN, WA), ODOMETER READS: 1,101,350,
S/N: 1XKDPB0X84R071362

2020 STRICK 53' 4-AXLE CURTAIN VAN, 295/75R225 TIRES, 102" WIDE DECK, (LOCATED IN ARDEN, WA) 2002 FRUEHAUF TANDEM AXLE 53' LIVE BOTTOM CHIP

TRAILER, TARP, 295/75R22.5 TIRES, #L-35 (LOCATED IN ARDEN, WA)

2000 PEERLESS TANDEM AXLE 53' LIVE BOTTOM CHIP TRAILER, 295/75R22.5 TIRES, #L-20 (LOCATED IN ARDEN, WA)

1998 WABASH TRI-AXLE 53' LIVE BOTTOM CHIP TRAILER, TARP, 295/75R22.5 TIRES, #L-40 (LOCATED IN ARDEN, WA) 1997 WESTERN TANDEM AXLE 48' LIVE BOTTOM CHIP TRAILER, TARP, 295/75R22.5 TIRES, #L-05 (LOCATED IN ARDEN, WA)

1996 WESTERN 48' LIVE BOTTOM CHIP TRAILER, TARP, 295/75R22.5 TIRES, #L-10 (LOCATED IN ARDEN, WA)
1995 FRUEHAUF 45' LIVE BOTTOM CHIP TRAILER, TARP, 295/75R22.5 TIRES, #L-15 (LOCATED IN ARDEN, WA)
1992 ALLOY TANDEM AXLE 53' LIVE BOTTOM CHIP TRAILER, TARP, 295/75R22.5 TIRES, #L-25 (LOCATED IN ARDEN, WA)
LETOURNEAU 2594S 4X4 LOG STACKER, 25-TON CAPACITY, CAT 3406 DIESEL, APPROX. 12,000 HRS ON ENGINE REBUILD, NEW OIL COOLER, 33.25-35 TIRES (LOCATED IN KETTLE FALLS, WA), HOUR METER READS: 38,275, S/N: 1033
2009 CAT SR118 SNOWBLOWER, INTAKE WIDTH 63-1/2", 18-22 GPM, OVERALL WIDTH 73.9", OVERALL HEIGHT 72.6", OVERALL LENGTH 37.4", 990 LBS. (LOCATED IN ARDEN, WA)
YOUNG LOG GRAPPLE (LOCATED IN KETTLE FALLS, WA)
ASSORTED PUSH BLADES (LOCATED IN KETTLE FALLS, WA)

murphyauction.com



PUBLIC AUCTION - COLUMBIA CEDAR - KETTLE FALLS, WA





FIRST CLASS MAIL U.S. POSTAGE PAID SEATTLE, WA PERMIT NO. 963



BLIC ONLINE AUCTION

COLUMBIA CEDAR

Surplus Mill Equipment

Start Date: 11:00 AM | Wednesday - April 21 End Date: 11:00 AM | Wednesday - April 28

Preview 8:00 AM to 4:00 PM | Tuesday, April 27th

Locations: 24419 US 395, Kettle Falls, WA 99141 & 634 S. Hwy 395, Arden, WA



Public Online Auction -No Minimums--No Reserves-



James G. Murphy Co. 425,486,1246 Murphyauction.com

