



55H 61H 81H 82H



Medium Truck Service

Date:	Sep 26 21	Mechanic	c: Jacet		Mechanic H	rs:	<u> </u>
5000	X		der Service:			n dileggo:	4978
3990 Mile Service:		Weic	der Service.			Mileage:	11/0
			Engine				
	Inspect / Check	Replace	Qty	Wt.	Sample		Notes
Engine Oil	1 7 1	$\overline{}$	13	13/40			
Filters		X					
Air Filters		X					
Fuel							
Fuel Screen							
Water Sep							
Coolant / Filter							
Belts							
Hoses							
				Millianin	Sellillillillillillillillillillillillilli		
			Hydraulic (
	Inspect / Check	Replace	Qty	Wt.	Sample		Notes
Hydraulic Oil							
Filters							
Hoses							
Cylinders & Bushings							
			Vannuumumumumum	Name and the second			
			Drive Tra				
	Inspect / Check	Replace	Qty	Wt.	Sample		Notes
Transmission							
Differentials							
Hubs							
	Linconnet / I		Seneral Insp	ection		Matas	
	Inspect / Check	Grease				Notes	
 Drivelines	Cricon		ř				
Horn							
Batteries & Cables							
Back Up Alarm							
Lights							
Seat Belt & Seat							
Glass / Wipers							
Brakes							
Tires	+						
Chassis							
Comments	+						







Site Development General Contractor

Date:	VOU /7	Mechanic	: Jarel	-	Mechanic H	Irs: 2 hows
ຽງພວ 3000 Mile Service:	X	Weld	ler Service:	П		Mileage: / 0 , 000
3000 Mile Service:	Δ	vveid	ier service.			Willeage. / 0 / 000
			Engine	2		
	Inspect / Check	Replace	Qty	Wt.	Sample	Notes
Engine Oil		X	15	15/40		
Filters		*	V7.1			Ŷ
Air Filters	4	X.				
Fuel	10 March 19	**				
Fuel Screen	0 - May 1	X				
Water Sep	X X					
Coolant / Filter	X	These	7.0			<u>il</u>
Belts	1					10
Hoses	1	0.38				
		M.D.	l la alasa di sa d	C		
	Inspect / Check	Replace	Hydraulic (Qty	Wt.	Sample	Notes
Hydraulic Oil						
Filters						
Hoses						
Cylinders & Bushings						
	Linemant / L	Donloss	Drive Tra		l Camplo l	Notes
	Inspect / Check	Replace	Qty	Wt.	Sample	Mores
Transmission						
Differentials	(4)					
Hubs						
		e le c	operal Inco	action		
	Inspect / Check	Grease	ieneral Insp	Jection		Notes
Drivelines						
Horn						
Batteries & Cables						
Back Up Alarm						
Lights						
Seat Belt & Seat						
Glass / Wipers						
Brakes						
Tires						
Chassis						
Comments						



PO BOX 217 • 526 ROOSEVELT AVE • ENUMCLAW, WA 98022

PHN: 360-825-7731 • FAX: 360-825-1043

TOLL FREE: 1-800-539-7595 • WWW.FUGATEFORD.COM

PARTS DEPARTMENT HOURS:

7:00 AM - 6:00 PM MONDAY—FRIDAY 8:00 AM-12:00PM—12:30 PM-4:30 PM SATURDAY

INV# 202474

Tax 91-0182160

Printed 09/19/2022 11:53:07 AM

PARTS INVOICE CUSTOMER COPY

User

Invoice Number

Terms

CHARGE

Account Number

007

Page

202474

145648

Customer No

145648

Attn: MIKE ANDROSKO 206 379 7054

J.R. HAYES AND SONS INC 22430 SE 231 ST

MAPLE VALLEY, WA 98038

Home

Email

(425) 392-5722

Bus Fax:

Cell (206) 379-7054

mandrosko@jrhayes.com

Fleet Type Reference

(425) 392-9902

Ship Via

Ship Date:

PO # P127

Ship To:

J.R. HAYES AND SONS INC

22430 SE 231 ST

MAPLE VALLEY, WA, 98038

09/19/2022 11:53:07 AM

Sales

Keith Westby

568

(425) 392-5722

REQ	SH	ORD	BIN	PART NUMBER
2	2	= 0	LB0	FL 2051 S
1	1	0	LB1	FD 4641
1	1	0	LB5	FP 92
1	1	0	LB5	FA 2031
5	5	0		

DESCRIPTION	RETAIL	NET	SALE
KIT - ELEMENT & GASKET - OIL F	29.07	23.26	46.52
ELEMENT	109.09	87.27	87.27
FILTER - POLLEN	31.95	25.56	25.56
ELEMENT ASY - AIR CLEANER	87.21	44.51	44.51
		(-	203.86

026210 P127 12P AD

 PARTS SALE
 203.86

 TOTAL PARTS SALES
 203.86

 Tax
 17.94

 NET TOTAL PARTS
 221.80

 TOTAL INVOICE
 221.80



DISCLAIMER OF WART ...NTIES: THE ONLY WARRANTIES APPLYING TO THIS PART(S) ARE THOSE WHICH MAY BE OFFERED BY THE MANUFACTURER. THE SELUNG DEALER HEREBY EXPRESSLY DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE., AND NEITHER ASSUMES NOR AUTHORIZES ANY PERSON TO ASSUME FOR IT ANY LIABILITY IN CONNECTION WITH THE SALE OF THIS PART(S) AND/OR SERVICE. BUYER SHALL NOT BE ENTITLED TO RECOVER FROM THE SELLING DEALER ANY CONSEQUENTIAL DAMAGES, DAMAGES TO PROPERTY, DAMAGES FOR LOSS OF USE, LOSS OF TIME, LOSS OF PROFIT OR ANY OTHER INCIDENTAL DAMAGES.

DAMAGES TO PROPERTY, DAMAGES FOR LOSS OF USE, LOSS OF USE, LOSS OF PROFIT OR ANY OTHER INCIDENTAL DAMAGES.

PARTS RETURN POLICY: NO RETURN ON ALL ELECTRICAL PARTS. SPECIAL ORDER PARTS MUST BE PRE-PAID AND WILL BE HELD FOR 45 DAYS FROM RECEIPT AND THEN RETURNED TO THE MANUFACTURER, REORDERING FEES MAY APPLY. RETURNS-CORES—MUST HAVE ORIGINAL INVOICE AND BE IN FACTORY PACKAGE. RESTOCK FEE IS 25%. THANK YOU.

REDIDERING FEED MAT AFFET. RETURNS-CORES—MOST HAVE ORIGINAL INVOICE AND OUR PRIVACY POLICY, INCLUDING OUR SERVICE PROVIDERS AND THEIR DATA PROCESSING IN THE U.S., WHICH MAY BE ACCESSIBLE PRIVACY STATEMENT: ASK US IF YOU WOULD LIKE INFORMATION ABOUT OUR PRIVACY POLICY, INCLUDING OUR SERVICE PROVIDERS AND THEIR DATA PROCESSING IN THE U.S., WHICH MAY BE ACCESSIBLE TO U.S. LAW ENFORCEMENT AND NATIONAL SECURITY AUTHORITIES. WE PROVIDE THIS PERSONAL AND TRANSACTION INFORMATION TO FORD MOTOR COMPANY OF CANADA, LIMITED TO ENABLE FORD TO ADMINISTER YOUR TRANSACTION, PROVIDE YOU WITH REQUESTED SERVICES, IMPROVE AUTOMOTIVE RELATED PRODUCTS AND SERVICES BY CONDUCTING CUSTOMER SURVEYS, AND PROVIDE YOU WITH MARKETING MATERIAL WHICH MAY BE OF INTEREST TO YOU, AS PERMITTED BY APPLICABLE LAWS. FOR THE FORD PRIVACY POLICY (WWW.FORD.CA) INCLUDING USE OF SERVICE PROVIDERS AND U.S. DATA STORAGE OR IF YOU DO NOT WANT TO RECEIVE MARKETING OR SURVEY MATERIALS FROM FORD PLEASE CALL 1-800-565-FORD (3673).

SIGNATURE:





Quote Number: JA02595-1

Page 1 of 7

CUSTOMER: J.R. Hayes & Sons

CONTACT: Jeff Wright

ADDRESS: 22430 Southeast 231 St.

Maple Valley WA 98038-8272

Quote Number: JA02595-1

Quote Rev: 1

Quote Date: 1/27/2022

Quote valid until: 2/10/2022

PHONE: (425) 392-5722

FAX/Email: jwright@jrhayes.com

Salesperson: dduncan Quote Prepared By: jashman

Make: FORD	Model: F-600	Year: 2022	GVWR: 22000	Single/Dual: DRW
CA / CT: 84.0 /	Fuel Type: DIESEL	4X2 / 4X4: 4X2	Trans: AUTOMATIC	Cab Type: REGULAR

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
1	Chassis	\$59,950.00	\$59,950.00
1	2022 Ford F-600 Super Duty XL Chassis		
	- Regular Cab		
	- 4x2		
	- DRW		
	- Cab to axle 84"		
	- 6.7L 4V Power Stroke V8 Turbo Diesel Engine 330 HP and 825 ft-lbs		
	- TorqShift 10-Speed Automatic Transmission		
	- 22,000 GVWR		
	- Limited Slip w/ 4.88 Axle Ratio		
	- HD Vinyl 40/20/40 Split Bench Seat		
	- Air conditioning		
	- Cruise control		
	- Power Equipment Group		
	- Engine Block Heater		
	- Trailer brake controller		
	- 245/70Rx19.5G BSW A/P tires		
	- Spare tire, wheel & jack		
	- Radio: AM/FM Stereo/MP3		
	- SYNC Communications & Entertainment System	1	
	- 40 gallon fuel tank		
	- Platform running boards		
	- Medium Earth Gray interior	1	
	- Oxford White exterior		
4	TOWARY 1	\$141,000.00	\$141,000.0
1	TMAX-1	\$141,000.00	Ψ141,000.0
1	Stellar TMAX1 - 11' aluminum mechanic body installed as follows:	9	
	- Aluminum side packs, aluminum doors, steel crane compartment		
	- All compartments raised to 60"		
	- Flush front bulkhead		
	- Torsion box understructure with isolated crane compartment		
	- Exterior DOT light package		
	- 133" long 22"D X 52"H side packs	I de la companya de l	





Quote Number: JA02595-1

			Page 2 of 7
QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
	- 50" loadbed width		
	- 21" work bench bumper with thru-compartment		
	- (6) recessed cargo tie-downs		
	- (2) rear mounted grab handles and hand rail		
	- Dual-seal automotive type compartment weather seal		
	- Rubber fenderettes		
	- Overlapped doors on SSIV / CSIV		
	- Overlapped doors on horizontal compartments - 12" fold down aluminum tailgate (painted black)		
	- 12" fold down aluminum tangate (painted black) - 2 & 3-point stainless steel compression latches		
	- Stainless steel "Billet Style" hinges		
	- Spring loaded door stops		
	- Weld on receiver hitch		
	- 7-way trailer plug socket, flat		
	- Rear pull out step		
	- Master-Lock system		
	- Backup alarm		
	- Mudflaps		
	- Undercoated		
	- Spray on bed liner for cargo area floor, cargo walls, and workbench		
	- Bed exterior and back sides of doors refinished Viper Red		
1	Refinish the chassis cab door jambs and exterior Viper Red		
1	Hydraulic out / hydraulic down stabilizers		
1	Stellar 7630 Telescopic Crane installed as follows:		
	- 44,840 ft-lb capacity		
	- 7,500 lb max. capacity		
	- (2) hydraulic extensions to 30'		
	- 1,490 lbs @ 30' lifting capacity		
	- 2,100 lb crane weight		
	- 400 degree power rotation		
	- CDTplus proportional radio remote control in cab		
	- Bulkhead-mounted hydraulic reservoir		
	- Adjustable boom support		
	- Refinished Viper Red		
1	Ford Super Duty 25 gallon air tank installed		
1	1/2" x 50' air hose reel installed as follows:		
•	- Hose roller guide		
	- Mounted in right rear compartment with rear external access		
1	Filter, luber, regulator with pressure gauge		
1	Plumb urea system to the urea pocket		
1	Ford Super Duty diesel exhaust extension to bring exhaust out beyond the body		
1	Ford F450/F550/F600 Severe Duty Spring Work as follows:		





Quote Number: JA02595-1

Page 3 of 7

	Page						
QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT				
	- Chassis to be raised 3" street side and 2" curb side - Add (1) leaf into both main spring packs - Add (3) leaves into both overload spring packs - Add 1" block - street side - Add 2" block - curb side - (4) U-bolts w/hardware - (4) Center bolts w/hardware						
1	(1) adjustable shelf in LV1F						
1	(1) adjustable shelf in LV1R						
1	(1) adjustable shelf in LH						
1	(3) adjustable shelves in LR						
1	(2) Bottle Oxy/Acet holder in RV1						
1	Divider kit with (3) shelves in RV1						
1	(3) adjustable shelves in RV2						
1	(1) adjustable shelf in RH						
1	Rear bumper storage compartment installed as follows: - Steel plate overlay - Locking hinged lid - Punched metal basket with rubber mat						
1	LED compartment lights installed						
1	(4) LED Floodlighting as follows: - (1) installed on boom support - (1) installed SS behind compressor - (2) installed at the rear of body						
1;:	Install Ford Factory Backup Camera						
1	Vanair RC40-L hydraulic drive reciprocating air compressor installed as follows: - 40 cfm and 175 psi capacity - 33.7" long x 21" wide x 24.3" high - 245 lbs. - Two-stage reciprocating compressor - Integral hydraulic oil cooler - Aluminum powdercoated sheet metal enclosure - Refinished Viper Red						
1	Air distribution block with (3) outlet ports mounted on rear of curb side compartment, plumbed before filter, luber, regulator for unregulated air						
1	CTE H.D. Aluminum 8-drawer unit installed as follows:						





Quote Number: JA02595-1

			Page 4 of 7
QUANTITY	DESCRIPTION	PRICE EACH	AMOUN
	- Fits LV1F compartment		
	- (5)-3", (2)-5", and (1)-7" removable drawers		
	- Aluminum construction		
	- Patented motion latch drawer handles	1 1	
	- 250 lb. capacity roller slides	1	
	- Powder coated white with black handles	1 1	
	- (7) divider kits	1 1	
	- Rubber liners in all drawers		
1	CTE H.D. Aluminum 8-drawer units installed as follows:		
	- Fits LV1R compartment		
	- (5)-3", (2)-5", and (1)-7" removable drawers	1 1	
	- Aluminum construction		
	- Patented motion latch drawer handles	1	
	- 250 lb. capacity roller slides	1	
	- Powder coated white with black handles		
	- (7) divider kits		
	- Rubber liners in all drawers		
1	CTE H.D. Aluminum 5-drawer unit installed as follows:		
17.	- Fits LH compartment		
	- (5)-3" removable drawers		
	- Aluminum construction		
	- Patented motion latch drawer handles		
	- 250 lb. capacity roller slides	1	
	- Powder coated white with black handles		
	- (5) divider kits		
	- Rubber liners in all drawers		
1	Wilton 5-1/2" Tradesman vise installed on rear vise plate	· ·	
1	Betts fully rotational LED light mounted on curb side rear of body		
	- Painted Red		
	1 6440		
1	(2) 12v LED flood lights installed on front bulkhead		
	- ÉNGENJT1324FE2S		
1	Ecco 5590A 15" LED minibar installed as follows:		
329	-Bolt mounting plate to cabguard		
	- Wire to existing upfitter switch in cab		
1	Stellar Dual LED Trilliant Boom Tip Lights installed		
1	Samlex 2000 watt inverter installed as follows:		
•	- Mounted in LH compartment		
	- 2000 watt output power		
	- Pure sine wave output		
	- Temperature controlled cooling fan		
	- Remote on/ off switch for the inverter		
1	Electrical power strip installed:		





Quote Number: JA02595-1

		Pag	e 5	of	7
--	--	-----	-----	----	---

			Page 5 of 7
QUANTITY	DESCRIPTION	PRICE EACH	AMOUN
	- (6) 110v plugs		
	- Built in surge protection		
	- Installed next to inverter against the compartment wall		
1	110v GFI electric outlet on rear of body wired to inverter with weatherproof cover		
1	Miller Trailblazer 325 welder (907798004) installed on aluminum body as follows:		
	- 325 amp welder		
	- 10,500 watts continuous output generator		
	- Kohler 25 hp air cooled twin cylinder gas engine, 3-year warranty		
	- 12 gallon fuel tank		
	- Electronic Fuel Injection		
	- Battery Charge/Jump Start Capability		
	- Excel Power for tool usage at idle speeds		
	- 40.5" long x 20" wide x 28" high, 475lbs.		
	- Mounted on street side compartment top		
	- Install Vanair antizap circuit protector		
1	1/0 X 50' Welder Leads Set with holder, ground clamp, and quick connect lugs		
1	Miller Battery Charge and Crank Assist Cables, 25'		
1	Weld rod guard storage bracket installed as follows:		
•	- Mounts below top shelf in LR compartment		
	- Storage for (4) weld rod guards		
	- Powder coated black		
	- (4) poly weld rod guards		
1	Torch tip/spray can tray installed on RV1 compartment door of a TMAX1		
2	(2) Torch tip/spray can trays installed on RR compartment door of a TMAX body		
1	(6) D-ring tie downs 1/2" mounted to cargo area walls		
'	- (3) bolted to each side of cargo area		
	- (3) boiled to each side of cargo area		
1	(2) D-rings installed to retain the ladder against the cargo area wall		
ii)	- 300 lb. rating, class 1A		
1	Top storage box installed on an 11' body as follows:		
	- 24"H x 22" D x 31" L steel storage box with locking swing out doors		
	- Rubber mounting pad between top box and compartment top		
	- Maxxima LED lights on both sides		
	- (1) adjustable shelf		
	- Powdercoated Red		
1	Curb side bolt-on compartment top block storage w/rubber pad		
	- Fits TMAX 11' crane bodies		
	- Powdercoated Red		
1	Aluminum cargo divider gate installed as follows:		
	48.75" x 22" solid aluminum divider		





Quote Number: JA02595-1

Page 6 of 7

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
	- Slide channels bolted on to cargo area sides		
	- Powdercoated hammer tone black		
1	Chock holders installed on the curbside of the body with chocks		
1	Spare tire retainer installed in cargo area		
1	Powder coated wheels installed on chassis		
1	ICC Safety Kit:		
	- Rechargeable fire extinguisher		
	- Reflector kit		
1	Delivery to customer's location		
		Quote Total:	\$200,950.00

The following options may be added:

AMOUNT
\$3,000.00
4

Customer must fill out the information below before the order can be processed... Accepted by: Date: P.O. number:

TERMS AND CONDITIONS OF SALE:

- All sales are final and non-cancelable.
- Unless otherwise noted, payment terms are as follows with balance due upon delivery.
 - o 20% down on sales < \$100,000
 - o 35% down on sales \$100,000 to \$200,000
 - \circ 50% down on sales > \$200,000
- Orders will not be processed, and ship date will not be confirmed without receipt of down payment and purchase order.
- Credit card sales greater than \$5,000 will have a 2.5% service charge added to the total.
- Any invoice not paid within thirty (30) days of billing is subject to a 1.5% monthly interest charge.
- Quotation valid until above stated expiration date.
- PRICE ADJUSTMENT: The customer agrees to a price adjustment increase at the request of the supplier (Cobalt) in the event they can reasonably demonstrate market-driven material cost increases exceeding 3% of the current sell price after receipt of order despite reasonable efforts to reduce or eliminate such price increases. Upon any such request by supplier, supplier shall promptly deliver to customer such documentation as reasonably requested by customer to verify any purported cost increase related to the price adjustment. Within 7 days of such request and the customers receipt of reasonably sufficient verification demonstrating an actual associated price increase has been incurred in respect of the price adjustment, the customer shall review

345 W, Karcher Road Nampa, ID 83687 Phone: 800-733-0342 Fax: 208-887-7794 1607 Industrial Road Las Vegas, NV 89102 Phone: 888-258-9812 Fax: 702-385-9936 4691 FM 1516 N. Converse, TX 78109 Phone: 855-587-7788 Fax: 210-301-2037 4620 E. Trent Avenue Spokane, WA 99212 Phone: 800-572-4369 Fax: 509-535-4294





Quote Number: JA02595-1

Page 7 of 7

the impact of such unforeseen circumstances and, if appropriate, agree on updated pricing solely to reflect the allocation of any agreed upon price increases resulting directly from the price adjustment which shall be implemented immediately. On the day any new pricing is implemented, supplier will reflect the new agreed pricing and invoice for such adjustment, as applicable.

• Quoted price does not include any applicable F.E.T. (Federal Excise Tax), sales tax, and/or delivery charges.

All quotations are contingent upon compliance with all the export laws and regulations of the United States. If any such law or regulation cannot be complied with, or if this equipment is prohibited from being exported at any time by the United States Government, this quotation and/or subsequent order(s) received or accepted will become null and void.

Prices based upon total purchase and quantity quoted.

- Quoted price does not include any unforeseen obstructions or modifications. Customer will be contacted for approval prior to any modifications being made.
- Paint, if applicable, will be matched as closely as possible. An exact match cannot be guaranteed.
- Quote pending final weight distribution analysis based on chassis, equipment, and options.
- All in-stock units are subject to prior sale.

Fax: 210-301-2037

4620 E. Trent Avenue Spokane, WA 99212 Phone: 800-572-4369 Fax: 509-535-4294