


# PUBLIC ONLINE AUCTION



## MEDFORD MOULDING COMPANY

Moulding Equipment & Rolling Stock

Start Date: 11:00 AM | Wednesday - January 13

End Date: 11:00 AM | Wednesday - January 20

Preview 8AM to 4PM | January 19 or By Appointment


Location: 2350 Avenue F, White City, OR 97503



James G. Murphy Co.

[murphyauction.com](http://murphyauction.com)

NO MINIMUMS - NO RESERVES



### 2007 BUSELLATO JET CONCEPT XXL

CNC MACHINING CENTER,

X-AXIS = 236.2", Y-AXIS = 53", Z-AXIS = 3.94", MAX.

PANEL THICKNESS = 71", 10 & 15-TOOL CAROUSELS,

12 KW X 1,000-18,000 RPM ELECTRO SPINDLE, 7.5

KW X 18,000 KW ELECTRO SPINDLE, DUAL AREA JIG

LOCKING TABLE W/(8) IMC PANEL SUPPORTS W/

SCALES, (2) BUSCH VACUUM PUMPS, AUTO

CENTRAL LUBE SYSTEM, S/N: 6520



[murphyauction.com](http://murphyauction.com)



425.486.1246



# NO MINIMUMS - NO RESERVES

## **CNC ROUTER**

**2007 BUSELLATO JET CONCEPT XXL CNC MACHINING CENTER**, X-AXIS = 236.2", Y-AXIS = 53", Z-AXIS = 3.94", MAX. PANEL THICKNESS = 7.1", 10 & 15-TOOL CAROUSELS, 12 KW X 1,000-18,000 RPM ELECTRO SPINDLE, 7.5 KW X 18,000 KW ELECTRO SPINDLE, DUAL AREA JIG LOCKING TABLE W/(8) IMC PANEL SUPPORTS W/SCALES, (2) BUSCH VACUUM PUMPS, AUTO CENTRAL LUBE SYSTEM, S/N: 6520

## **MOULDERS**

- 1991 WEINIG U22BL MOULDER**, 6-HEADS, APPROX. 4-3/4"x8-5/8" CAPACITIES, APPROX. 20 HP BOTTOM, (2) APPROX. 10 HP SIDE, APPROX. 40 HP TOP & APPROX. 20 HP BOTTOM MOTORS, 10 HP ADJUSTABLE BOTTOM SPLITTER HEAD, CNC CONTROLS, BIG BULL APPROX. 8' SINGLE HEAD MOULDER FEED TABLE, SPARE PARTS, SPIDER, ELECTRICS, SOUND BLANKETS (JOINTER BARS, SPARE HEADS, SAW & COLLARS SOLD SEPARATELY), S/N: 220-1421
- 1987 WEINIG 22A MOULDER**, 6-HEADS, APPROX. 4-3/4"x6" CAPACITIES, APPROX. 10 HP BOTTOM, (2) APPROX. 10 HP SIDE, APPROX. 20 HP TOP & APPROX. 10 HP BOTTOM HEAD MOTORS, CNC CONTROLS, APPROX. 8' SINGLE HEAD MOULDER FEED TABLE, SPARE PARTS, SPIDER, ELECTRICS, SOUND BLANKET (JOINTER BARS, SPARE HEADS, SAWS & COLLARS SOLD SEPARATELY), S/N: 222-1000
- 1974 DIEHL D68 MOULDER**, 6-HEADS, APPROX. 4"x8" CAPACITIES, 15 HP 1ST & 2ND BOTTOM HEADS, 15 HP TOP HEAD, 15 HP 1ST RIGHT SIDE HEAD, 10 HP 2ND RIGHT SIDE HEAD & 10 HP LEFT SIDE HEAD, FREQUENCY DRIVE, HYDRAULIC DRIVEN FEED ROLLS W/5 HP HYDRAULIC UNIT, APPROX. 8' SINGLE HEAD MOULDER FEED TABLE, JOINTER BARS, SPARE PARTS, SPIDER, ELECTRICS, SOUND BLANKETS (SPARE HEADS, SAWS & COLLARS SOLD SEPARATELY, S/N: 74M-3385-2721
- PAULSON 4-MJ MOULDER**, 4-HEADS, APPROX. 2"x4" CAPACITIES, APPROX. 5 HP TOP, (2) APPROX. 5 HP SIDE & APPROX. 5 HP BOTTOM HEAD MOTORS, JOINTER BARS, SPARE HEADS, SOUND BLANKETS

## **RESAWS**

- FERRARI 42" TILTING TWIN BAND VERTICAL RESAW W/30 HP MOTORS**, ADJUSTABLE LINE BAR, HYDRAULIC DRIVEN FEED ROLLS W/10 HP HYDRAULIC UNIT, MECHANICAL STRAIN, SOUND BLANKETS (SPARE BANDSAWS SOLD SEPARATELY), S/N: 1204
- TURNER 42" TILTING SINGLE BAND VERTICAL RESAW W/25 HP MOTOR**, POWERED FEED ROLLS, MECHANICAL STRAIN, SOUND BLANKETS (SPARE BANDSAWS SOLD SEPARATELY), S/N: TSR-438

## **RIP SAWS**

- PORTLAND IRON WORKS 13914 RIP SAW SYSTEM W/DUAL SIZING HEADS**, MULTI RIP SAW, SAW ARBOR W/APPROX. 50 HP MOTOR, POWERED FEED ROLLS, HOLD DOWN ROLLS, P.I.W. 6-SHIFTING SAW NETWORKS, SHADOW BOX, INFEED ROLLCASE & TRANSFERS, OUTFEED BELT TRANSFER & (2) 25' 4-STRAND 81X OUTFEED TRANSFERS, SPARE PARTS, S/N: 2364
- ROCKWELL/SCMI MC GANG RIP SAW**, APPROX. 8"x12" CAPACITIES, 42 HP MOTOR, FEED THRU DIP CHAIN
- TRI-STATE TRR-46 RE-RIP W/APPROX. 25 HP MOTOR**, FEED THRU CHAIN, DUAL TOP FEED ROLLS, S/N: 46-6-7-7346

## **FINGER JOINTER SYSTEM**

**INDUSTRIAL WOODWORKING 3470 ASSEMBLY FINGER JOINTER SYSTEM W/ MOD# 3470** FINGER JOINTER HEADS, SHORT BLOCK CONVERSION, TILT BLOCK FEEDER, CROWDER & GLUE STATIONS, SIZING SAW, TRAVELING CUT OFF SAW, 18' PAYOUT TABLE, TRI-STATE RH CUT OFF SAW, DKN 400 MECHANICAL CONVECTION OVEN, (8) FINGER JOINTER HEADS (SOLD SEPARATELY), S/N: 6-34700-SP-1-12673 W/47"x99"x75" LIFT HOIST, S/N: PL8-1-10573

## **GLUE SPLICERS**

**2006 DIEHL 890RBD C-FRAME GLUE SPLICER W/DIP CHAIN**  
DIEHL C-FRAME GLUE SPLICER W/DIP CHAIN

## **EDGE GLUE PRESS**

**L&L GLUE-ALL SPGA100H EDGE GLUE PRESS**, 50 KW 60"x130" CAPACITIES, 60"x130" INFEED PUSH TABLE, 60"x130" OUTFEED GRAVITY ROLLS, SPARE TUBE, S/N: 05-3SL

**RAYTHERM PM100 EDGE GLUE PRESS**, 30 KW 40"x100" CAPACITIES, S/N: 1636

## **GLUE SPREADERS**

**BLACK BROS. 30" GLUE SPREADER W/POWERED & GRAVITY ROLL INFEED ROLLCASE**, POWERED OUTFEED CHAIN W/UHMW FLITES

**BLACK BROS. 22-D-500 26" GLUE SPREADER ON WHEELS W/FORK POCKETS**, S/N: 139597

**BLACK BROS. 14" GLUE SPREADER ON WHEELS**

## **CHOP SAW LINE-CHOP SAWS**

**(7) TRI-STATE RH CHOP SAWS**, APPROX. 5 HP, PNEUMATIC JUMP CUT, 16' INFEED GRAVITY ROLLS, 16' LUMBER GAUGE OUTFEEDS, 45' 4-STRAND C55D INFEED TRANSFER, APPROX. 65' 3-STRAND X 7" BELT TRANSFER W/18", 12" & 8" TRANSFER BELTS, 12' DIA. ROUND TABLE

**INDUSTRIAL RH CHOP SAW**, APPROX. 5 HP, PNEUMATIC JUMP CUT W/INFEED GRAVITY ROLLS, 16' LUMBER GAUGE OUTFEED, APPROX. 8"x15" CLEAN OUT CONVEYOR, S/N: N510R-2-13589

**INDUSTRIAL RH CHOP SAW**, APPROX. 5 HP, PNEUMATIC JUMP CUT, S/N: N510-5-64378





# WHITE CITY, OR

## EQUALIZER SAWS

**MILLBURY HD200** APPROX. 12' ADJUSTABLE EQUALIZER SAW W/APPROX. 5 HP/3,500 RPM MOTOR, APPROX. 2' 2-STRAND FEED THRU TRANSFER, ON WHEELS W/FORK POCKETS  
**MILLBURY HD200** APPROX. 8' ADJUSTABLE EQUALIZER SAW W/APPROX. 5 HP/3,500 RPM MOTOR, APPROX. 2' 2-STRAND FEED THRU TRANSFER, ON WHEELS W/FORK POCKETS  
**TURNER MACHINE** APPROX. 8' ADJUSTABLE EQUALIZER SAW W/APPROX. 5 HP/3,500 RPM MOTOR, APPROX. 2' 2-STRAND FEED THRU TRANSFER, ON WHEELS W/FORK POCKETS

## SCISSOR LIFTS

**(2) AMERICAN LIFTS P036040** 36"X40", 4,000 LB CAPACITY SCISSOR LIFT W/FORK POCKETS

## TILT HOISTS

APPROX. 12' 4-ARM X 47" MECHANICAL TILT HOIST, MOTOR W/BRAKE TO REDUCER, APPROX. 16' 4-STRAND X 6" 81X CHAIN INFEED TRANSFER W/MOTOR TO REDUCER (CHOP SAW LINE AREA)  
 APPROX. 10' 3-ARM X 48" MECHANICAL TILT HOIST W/GEAR HEAD DRIVE, APPROX. 26' 3-STRAND H78 INFEED TRANSFER W/DRIVE (RIP SAW AREA)

## HOG-METAL DETECTOR

**MONTGOMERY 34H040** BLO-HOG W/TECO 200 HP/1,735 RPM MOTOR, TECO MOD# 4300S2-XX-X-N 300 HP SOFT START, APPROX. 40" BLOWER W/LINCOLN 125 HP/1,735 RPM MOTOR  
 APPROX. 18"X40' INFEED BELT CONVEYOR TO HOG W/RENS MOD# L240 METAL DETECTOR, S/N: C82288

## CHIP BINS-CYCLONES-BLOWERS

APPROX. 30-UNIT HYDRAULIC OPERATED BOLT TOGETHER CHIP BIN W/22' DOORS, 15 HP HYDRAULIC UNIT, APPROX. 8' & 4' DIA. CYCLONES (SOLD SEPARATELY)  
 APPROX. 24-UNIT HYDRAULIC OPERATED BOLT TOGETHER SHAVINGS BIN W/16' DOORS, APPROX. 8' DIA. CYCLONE (SOLD SEPARATELY)  
 APPROX. 7' DIA. CYCLONE W/APPROX. 30" BLOWER, TECO 75 HP/1,760 RPM MOTOR  
 APPROX. 48" BLOWER (ON ROOF) W/APPROX. 100 HP MOTOR ON STAND

## COMPRESSORS-DRYER

**INGERSOLL RAND SSR 75H-SP** ROTARY SCREW COMPRESSOR W/INTELLISYS, 75 HP MOTOR, 320 CFM AT 125 PSIG, AIR COOLED, HOUR METER READS: 27,259, S/N: N0576U95157  
**INGERSOLL RAND 60H-SP** ROTARY SCREW COMPRESSOR, 60 HP MOTOR, APPROX. 240 CFM AT 125 PSIG, AIR COOLED, HOUR METER READS: 841.8, S/N: H095U88C  
**SPX HANKISON HPR400** COMPRESSED AIR DRYER, 400 SCF AT 100 PSIG, S/N: RH0B34004A2F14018

## PALLET WRAPPER-SCALES-PACKAGE SQUEEZER

**MULLER HP800** PALLET WRAPPER W/4'X4' PALLET, 120V, S/N: 55550388  
**I.Q. PLUS 310-A** 10,000 LB X 1 LB CAPACITY PLATFORM SCALE W/4'X4' PALLET, DIGITAL READOUT DISPLAY, S/N: 98438519  
 APPROX. 4'X4'X20' ADJUSTABLE HYDRAULIC OPERATED PACKAGE SQUEEZER

## GRINDING ROOM

**1991 WEINIG RONDAMAT 935** STRAIGHT KNIFE GRINDER, S/N: 935-390  
**1989 WEINIG RONDAMAT 912** STRAIGHT KNIFE GRINDER, S/N: 912-316  
**1987 CMA 970** SYSTEM PRECISION MEASURING STATION, S/N: 970-300  
**ROCKWELL DELTA 24-150** PROFILE GRINDER (FOR FINGER JOINTER HEADS), S/N: 1546409  
**NIELSON 900** MOTORIZED SET UP STAND  
 (130+/-) 2"-9", 6K & 8K HYDRO LOCK HEADS, SAWS & COLLARS (FOR WEINIG MOULDERS)  
 (80+/-) 2"-8", 6K & 8K HYDRO LOCK HEADS (FOR DIEHL MOULDER)  
 LARGE SELECTION OF INVENTORIED KNIFE PATTERNS & TEMPLATES  
 QUANTITY OF 1-3/4"X3-1/2" WIDE KNIFE STEEL  
 LARGE QUANTITY OF RESAW BLADES

## PAINT LINE EQUIPMENT

12"X9' INFEED BELT W/SPRAY STATION, 12"X8' INFEED BELT W/SPRAY STATION, 16"X22' POWERED INFEED ROLLCASE W/VERTICAL TRAVELING DRYING RACK TO OUTFEED STRIP BELTS, NORDSON PERMAFLOW PUMP & MIX STATION, AIR HANDLING UNIT & FANS

## ADDITIONAL EQUIPMENT

**G. JOSTING GFS600** APPROX. 34" VENEER GUILLOTINE, S/N: 10034-1989  
 (4) 16' MOULDING RACKS W/APPROX. 1/2 HP - 16" END TRIM SAWS, (8) SORTS, WHEELS & FORK POCKETS, (4) STRIP SAWS, (4) BIN SORTING STATIONS W/BELTS, (100+/-) 4'X4'X4' STEEL BLOCK BINS, (50+/-) ASSORTED MATERIAL CARTS, SELF-DUMPING HOPPERS, PALLET RACKING, SWEED SCRAP CHOPPER, JET DC 1900 DUST COLLECTOR, CHOP SAWS, GRINDERS, ARBOR PRESS, FANS, HOSE REELS, HIGH PRESSURE GREASE GUN, HAND TRUCKS, CABLE HOIST, MOTORS, REDUCERS, BEARINGS, BELTING, ROLLS, FUSES, STARTERS, CONDUIT FITTINGS, WIRE, ELECTRIC BOXES, PRECISION MEASUREMENT TOOLS, SANDING DRUMS, DIAMOND & CBN WHEELS, STEEL BRUSHES

## TERMS & CONDITIONS

**13% BUYERS PREMIUM ON ALL PURCHASES** - PAYMENT: FULL PAYMENT MUST BE MADE BY 5 PM, FEBRUARY 5TH. **REMOVAL:** ALL ITEMS MUST BE REMOVED NO LATER THAN 4:00 PM, FEBRUARY 5TH. **REMOVAL HOURS:** 8:00 AM - 4:00 PM, NO WEEKEND REMOVAL. **WARRANTY DISCLAIMER:** ALL SALES ARE FINAL. ALL ITEMS ARE BEING SOLD "AS IS, WHERE IS," WITH ALL FAULTS AND WITHOUT ANY WARRANTIES AS TO MERCHANTABILITY. COMPLETE TERMS AND CONDITIONS OF SALE WILL BE AVAILABLE AT THE TIME OF SALE.



[murphyauction.com](http://murphyauction.com)

## ROLLING STOCK

**CLARK CHY160** 16,000 LB CAPACITY FORKLIFT, GAS ENGINE, 209" 2-STAGE MAST, 8"X54" FORKS, DUAL PNEUMATIC TIRES, S/N: HY1425D-210-21561072  
**1993 HYSTER H50XM** 5,000 LB CAPACITY FORKLIFT, PROPANE, MONOTROL, 188" 3-STAGE MAST, SIDE SHIFT, 48" FORKS, PNEUMATIC TIRES, HOUR METER READS: 10,893, S/N: D177B06067P  
**1986 HYSTER S50L** 4,950 LB CAPACITY FORKLIFT, PROPANE, MONOTROL, 183" 3-STAGE MAST, SIDE SHIFT, 48" FORKS, SOLID TIRES, HOUR METER READS: 9,613, S/N: D002D13748G  
**1980 HYSTER S50** 4,000 LB CAPACITY FORKLIFT, PROPANE, MONOTROL, 150-1/2" 2-STAGE MAST, SIDE SHIFT, 48" FORKS, SOLID TIRES, HOUR METER READS: 9,999, S/N: C002121955A  
**HYSTER** 4,450 LB CAPACITY FORKLIFT, PROPANE, MONOTROL, 130" 3-STAGE MAST, SIDE SHIFT, 48" FORKS, SOLID TIRES, HOUR METER READS: 670, S/N: N/A (PARTIAL I.D. PLATE)  
**CLARK** 3,000 LB CAPACITY FORKLIFT, PROPANE, MONOTROL, 129-1/2" 2-STAGE MAST, 48" ROTATOR FORKS, SOLID TIRES (NO I.D. PLATE)

[murphyauction.com](http://murphyauction.com)





# PUBLIC AUCTION - 2350 AVENUE F, WHITE CITY, OR



**James G. Murphy Co.**  
Commercial & Industrial Auctioneers  
P.O. Box 82160, Kenmore, WA 98028

PRESORTED  
FIRST CLASS MAIL  
U.S. POSTAGE  
PAID  
SEATTLE, WA  
PERMIT NO. 963



## PUBLIC ONLINE AUCTION



### MEDFORD MOULDING COMPANY

Moulding Equipment & Rolling Stock

Start Date: 11:00 AM | Wednesday - January 13

End Date: 11:00 AM | Wednesday - January 20

Preview 8AM to 4PM | January 19 or By Appointment

Location: 2350 Avenue F, White City, OR 97503



**James G. Murphy Co.**  
[murphyauction.com](http://murphyauction.com)

NO MINIMUMS - NO RESERVES



FOR MORE INFORMATION GO TO [MURPHYAUCTION.COM](http://MURPHYAUCTION.COM) • PHONE 425.486.1246